

## 实例1: 三角函数曲线 (1)

```
function shili01
h0=figure('toolbar','none',...
    'position',[198 56 350 300],...
    'name','实例01');
h1=axes('parent',h0,...
    'visible','off');
x=-pi:0.05:pi;
y=sin(x);
plot(x,y);
xlabel('自变量X');
ylabel('函数值Y');
title('SIN( )函数曲线');
grid on
```

## 实例2: 三角函数曲线 (2)

```
function shili02
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例02');
x=-pi:0.05:pi;
y=sin(x)+cos(x);
plot(x,y,'-r','linewidth',1);
grid on
xlabel('自变量X');
ylabel('函数值Y');
title('三角函数');
```

### 实例3: 图形的叠加

```
function shili03
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例03');
x=-pi:0.05:pi;
y1=sin(x);
y2=cos(x);
plot(x,y1,...
    '-*r',...
    x,y2,...
    '--og');
grid on
xlabel('自变量X');
ylabel('函数值Y');
title('三角函数');
```

### 实例4: 双y轴图形的绘制

```
function shili04
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例04');
x=0:900;a=1000;b=0.005;
y1=2*x;
y2=cos(b*x);
[haxes,hline1,hline2]=plotyy(x,y1,x,y2,'semilogy','plot');
axes(haxes(1))
ylabel('semilog plot');
```

```
axes(haxes(2))
ylabel('linear plot');
```

#### 实例5: 单个轴窗口显示多个图形

```
function shili05
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例05');
t=0:pi/10:2*pi;
[x,y]=meshgrid(t);
subplot(2,2,1)
plot(sin(t),cos(t))
axis equal
subplot(2,2,2)
z=sin(x)-cos(y);
plot(t,z)
axis([0 2*pi -2 2])
subplot(2,2,3)
h=sin(x)+cos(y);
plot(t,h)
axis([0 2*pi -2 2])
subplot(2,2,4)
g=(sin(x).^2)-(cos(y).^2);
plot(t,g)
axis([0 2*pi -1 1])
```

#### 实例6: 图形标注

```
function shili06
h0=figure('toolbar','none',...
```

```

    'position',[200 150 450 400],...
    'name','实例06');
t=0:pi/10:2*pi;
h=plot(t,sin(t));
xlabel('t=0到2\pi','fontsize',16);
ylabel('sin(t)','fontsize',16);
title('\it{从 0到2\pi 的正弦曲线}','fontsize',16)
x=get(h,'xdata');
y=get(h,'ydata');
imin=find(min(y)==y);
imax=find(max(y)==y);
text(x(imin),y(imin),...
    ['\leftarrow最小值=',num2str(y(imin))],...
    'fontsize',16)
text(x(imax),y(imax),...
    ['\leftarrow最大值=',num2str(y(imax))],...
    'fontsize',16)

```

### 实例7：条形图形

```

function shili07
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例07');
tiaol=[562 548 224 545 41 445 745 512];
tiaol2=[47 48 57 58 54 52 65 48];
t=0:7;
bar(t,tiaol)
xlabel('X轴');
ylabel('TIA01值');

```

```

h1=gca;
h2=axes('position',get(h1,'position'));
plot(t,tiao2,'linewidth',3)
set(h2,'axislocation','right','color','none','xticklabel',[])

```

### 实例8：区域图形

```

function shili08
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例08');
x=91:95;
profits1=[88 75 84 93 77];
profits2=[51 64 54 56 68];
profits3=[42 54 34 25 24];
profits4=[26 38 18 15 4];
area(x,profits1,'facecolor',[0.5 0.9 0.6],...
    'edgecolor','b',...
    'linewidth',3)
hold on
area(x,profits2,'facecolor',[0.9 0.85 0.7],...
    'edgecolor','y',...
    'linewidth',3)
hold on
area(x,profits3,'facecolor',[0.3 0.6 0.7],...
    'edgecolor','r',...
    'linewidth',3)
hold on
area(x,profits4,'facecolor',[0.6 0.5 0.9],...
    'edgecolor','m',...

```

```

        'linewidth',3)
hold off
set(gca,'xtick',[91:95])
set(gca,'layer','top')
gtext('\leftarrow第一季度销量')
gtext('\leftarrow第二季度销量')
gtext('\leftarrow第三季度销量')
gtext('\leftarrow第四季度销量')
xlabel('年','fontsize',16);
ylabel('销售量','fontsize',16);

```

### 实例9：饼图的绘制

```

function shili09
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例09');
t=[54 21 35;
    68 54 35;
    45 25 12;
    48 68 45;
    68 54 69];
x=sum(t);
h=pie(x);
textobjs=findobj(h,'type','text');
str1=get(textobjs,{ 'string' });
vall=get(textobjs,{ 'extent' });
oldext=cat(1,vall{:});
names={'商品一: '; '商品二: '; '商品三: '};
str2=strcat(names,str1);

```

```

set(textobjs, {'string'}, str2)
val2=get(textobjs, {'extent'});
newext=cat(1, val2{:});
offset=sign(oldext(:,1)).*(newext(:,3)-oldext(:,3))/2;
pos=get(textobjs, {'position'});
textpos=cat(1, pos{:});
textpos(:,1)=textpos(:,1)+offset;
set(textobjs, {'position'}, num2cell(textpos, [3, 2]))

```

### 实例10: 阶梯图

```

function shili10
h0=figure('toolbar','none',...
    'position',[200 150 450 400],...
    'name','实例10');
a=0.01;
b=0.5;
t=0:10;
f=exp(-a*t).*sin(b*t);
stairs(t, f)
hold on
plot(t, f, '*')
hold off
xlabel='函数 $e^{-(\alpha*t)}$  sin $\beta*t$ 的阶梯图';
gtext(glabel, 'fontsize', 16)
xlabel('t=0:10', 'fontsize', 16)
axis([0 10 -1.2 1.2])

```

### 实例11: 枝干图

```
function shili11
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例11');
x=0:pi/20:2*pi;
y1=sin(x);
y2=cos(x);
h1=stem(x,y1+y2);
hold on
h2=plot(x,y1,'^r',x,y2,'*g');
hold off
h3=[h1(1);h2];
legend(h3,'y1+y2','y1=sin(x)','y2=cos(x)')
xlabel('自变量X');
ylabel('函数值Y');
title('正弦函数与余弦函数的线性组合');
```

### 实例12: 罗盘图

```
function shili12
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例12');
winddirection=[54 24 65 84
    256 12 235 62
    125 324 34 254];
windpower=[2 5 5 3
    6 8 12 7
    6 14 10 8];
```

```

rdirection=winddirection*pi/180;
[x,y]=pol2cart(rdirection,windpower);
compass(x,y);
desc={'风向和风力',
      '北京气象台',
      '10月1日0:00到',
      '10月1日12:00'};
gtext(desc)

```

### 实例13: 轮廓图

```

function shili13
h0=figure('toolbar','none',...
          'position',[200 150 450 250],...
          'name','实例13');
[th,r]=meshgrid((0:10:360)*pi/180,0:0.05:1);
[x,y]=pol2cart(th,r);
z=x+i*y;
f=(z.^4-1).^(0.25);
contour(x,y,abs(f),20)
axis equal
xlabel('实部','fontsize',16);
ylabel('虚部','fontsize',16);
h=polar([0 2*pi],[0 1]);
delete(h)
hold on
contour(x,y,abs(f),20)

```

#### 实例14: 交互式图形

```
function shili14
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例14');
axis([0 10 0 10]);
hold on
x=[];
y=[];
n=0;
disp('单击鼠标左键点取需要的点');
disp('单击鼠标右键点取最后一个点');
but=1;
while but==1
    [xi,yi,but]=ginput(1);
    plot(xi,yi,'bo')
    n=n+1;
    disp('单击鼠标左键点取下一个点');
    x(n,1)=xi;
    y(n,1)=yi;
end
t=1:n;
ts=1:0.1:n;
xs=spline(t,x,ts);
ys=spline(t,y,ts);
plot(xs,ys,'r-');
hold off
```

#### 实例14: 交互式图形

```

function shilil4
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例14');
axis([0 10 0 10]);
hold on
x=[];
y=[];
n=0;
disp('单击鼠标左键点取需要的点');
disp('单击鼠标右键点取最后一个点');
but=1;
while but==1
    [xi,yi,but]=ginput(1);
    plot(xi,yi,'bo')
    n=n+1;
    disp('单击鼠标左键点取下一个点');
    x(n,1)=xi;
    y(n,1)=yi;
end
t=1:n;
ts=1:0.1:n;
xs=spline(t,x,ts);
ys=spline(t,y,ts);
plot(xs,ys,'r-');
hold off

```

### 实例15: 变换的傅立叶函数曲线

```
function shilil5
```

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例15');
axis equal
m=moviein(20,gcf);
set(gca,'nextplot','replacechildren')
h=uicontrol('style','slider','position',...
    [100 10 500 20],'min',1,'max',20)
for j=1:20
    plot(fft(eye(j+16)))
    set(h,'value',j)
    m(:,j)=getframe(gcf);
end
clf;
axes('position',[0 0 1 1]);
movie(m,30)

```

#### 实例16: 劳伦兹非线性方程的无序活动

```

function shili15
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例15');
axis equal
m=moviein(20,gcf);
set(gca,'nextplot','replacechildren')
h=uicontrol('style','slider','position',...
    [100 10 500 20],'min',1,'max',20)
for j=1:20
    plot(fft(eye(j+16)))

```

```

        set(h, 'value', j)
        m(:, j)=getframe(gcf);
    end
    clf;
    axes('position',[0 0 1 1]);
    movie(m, 30)

```

### 实例17: 填充图

```

function shili17
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例17');
t=(1:2:15)*pi/8;
x=sin(t);
y=cos(t);
fill(x,y,'r')
axis square off
text(0,0,'STOP',...
    'color',[1 1 1],...
    'fontsize',50,...
    'horizontalalignment','center')

```

### 实例18: 条形图和阶梯形图

```

function shili18
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例18');
subplot(2,2,1)
x=-3:0.2:3;

```

```

y=exp(-x.*x);
bar(x,y)
title('2-D Bar Chart')
subplot(2,2,2)
x=-3:0.2:3;
y=exp(-x.*x);
bar3(x,y,'r')
title('3-D Bar Chart')
subplot(2,2,3)
x=-3:0.2:3;
y=exp(-x.*x);
stairs(x,y)
title('Stair Chart')
subplot(2,2,4)
x=-3:0.2:3;
y=exp(-x.*x);
barh(x,y)
title('Horizontal Bar Chart')

```

### 实例19: 三维曲线图

```

function shili19
h0=figure('toolbar','none',...
    'position',[200 150 450 400],...
    'name','实例19');
subplot(2,1,1)
x=linspace(0,2*pi);
y1=sin(x);
y2=cos(x);
y3=sin(x)+cos(x);

```

```

z1=zeros(size(x));
z2=0.5*z1;
z3=z1;
plot3(x,y1,z1,x,y2,z2,x,y3,z3)
grid on
xlabel('X轴');
ylabel('Y轴');
zlabel('Z轴');
title('Figure1:3-D Plot')
subplot(2,1,2)
x=linspace(0,2*pi);
y1=sin(x);
y2=cos(x);
y3=sin(x)+cos(x);
z1=zeros(size(x));
z2=0.5*z1;
z3=z1;
plot3(x,z1,y1,x,z2,y2,x,z3,y3)
grid on
xlabel('X轴');
ylabel('Y轴');
zlabel('Z轴');
title('Figure2:3-D Plot')

```

## 实例20: 图形的隐藏属性

```
function shili20
h0=figure('toolbar','none',...
    'position',[200 150 450 300],...
    'name','实例20');
subplot(1,2,1)
[x,y,z]=sphere(10);
mesh(x,y,z)
axis off
title('Figure1:Opaque')
hidden on
subplot(1,2,2)
[x,y,z]=sphere(10);
mesh(x,y,z)
axis off
title('Figure2:Transparent')
hidden off
```

## 实例21PEAKS函数曲线

```
function shili21
h0=figure('toolbar','none',...
    'position',[200 100 450 450],...
    'name','实例21');
[x,y,z]=peaks(30);
subplot(2,1,1)
x=x(1,:);
y=y(:,1);
i=find(y>0.8&y<1.2);
j=find(x>-0.6&x<0.5);
```

```

z(i,j)=nan*z(i,j);
surf(x,y,z)
xlabel('X轴');
ylabel('Y轴');
zlabel('Z轴');
title('Figure1:surf函数形成的曲面')

```

```

subplot(2,1,2)
x=x(1,:);
y=y(:,1);
i=find(y>0.8&y<1.2);
j=find(x>-0.6&x<0.5);
z(i,j)=nan*z(i,j);
surf1(x,y,z)
xlabel('X轴');
ylabel('Y轴');
zlabel('Z轴');
title('Figure2:surf1函数形成的曲面')

```

## 实例22：片状图

```

function shili22
h0=figure('toolbar','none',...
    'position',[200 150 550 350],...
    'name','实例22');
subplot(1,2,1)
x=rand(1,20);
y=rand(1,20);
z=peaks(x,y*pi);
t=de launay(x,y);

```

```

trimesh(t,x,y,z)
hidden off
title('Figure1:Triangular Surface Plot');
subplot(1,2,2)
x=rand(1,20);
y=rand(1,20);
z=peaks(x,y*pi);
t=delaunay(x,y);
trisurf(t,x,y,z)
title('Figure1:Triangular Surface Plot');

```

### 实例23：视角的调整

```

function shili23
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例23');
x=-5:0.5:5;
[x,y]=meshgrid(x);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
subplot(2,2,1)
surf(x,y,z)
xlabel('X-axis')
ylabel('Y-axis')
zlabel('Z-axis')
title('Figure1')
view(-37.5,30)
subplot(2,2,2)
surf(x,y,z)

```

```

xlabel('X-axis')
ylabel('Y-axis')
zlabel('Z-axis')
title('Figure2')
view(-37.5+90,30)
subplot(2,2,3)
surf(x,y,z)
xlabel('X-axis')
ylabel('Y-axis')
zlabel('Z-axis')
title('Figure3')
view(-37.5,60)
subplot(2,2,4)
surf(x,y,z)
xlabel('X-axis')
ylabel('Y-axis')
zlabel('Z-axis')
title('Figure4')
view(180,0)

```

#### 实例24：向量场的绘制

```

function shili24
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例24');
subplot(2,2,1)
z=peaks;
ribbon(z)
title('Figure1')

```

```

subplot(2,2,2)
[x,y,z]=peaks(15);
[dx,dy]=gradient(z,0.5,0.5);
contour(x,y,z,10)
hold on
quiver(x,y,dx,dy)
hold off
title('Figure2')
subplot(2,2,3)
[x,y,z]=peaks(15);
[nx,ny,nz]=surfnorm(x,y,z);
surf(x,y,z)
hold on
quiver3(x,y,z,nx,ny,nz)
hold off
title('Figure3')
subplot(2,2,4)
x=rand(3,5);
y=rand(3,5);
z=rand(3,5);
c=rand(3,5);
fill3(x,y,z,c)
grid on
title('Figure4')

```

### 实例25: 灯光定位

```

function shili25
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...

```

```

    'name', '实例25');
vert=[1 1 1;1 2 1;
      2 2 1;2 1 1;
      1 1 2;1 2 2;
      2 2 2;2 1 2];
fac=[1 2 3 4;2 6 7 3;
     4 3 7 8;1 5 8 4;
     1 2 6 5;5 6 7 8];
grid off
sphere(36)
h=findobj('type','surface');
set(h,'facelighting','phong',...
    'facecolor',...
    'interp',...
    'edgecolor',[0.4 0.4 0.4],...
    'backfacelighting',...
    'lit')
hold on
patch('faces',fac,'vertices',vert,...
    'facecolor','y');
light('position',[1 3 2]);
light('position',[-3 -1 3]);
material shiny
axis vis3d off
hold off

```

### 实例26: 柱状图

```

function shili26
h0=figure('toolbar','none',...

```

```
    'position',[200 50 450 450],...
    'name','实例26');
subplot(2,1,1)
x=[5 2 1
   8 7 3
   9 8 6
   5 5 5
   4 3 2];
bar(x)
xlabel('X轴');
ylabel('Y轴');
title('第一子图');
subplot(2,1,2)
y=[5 2 1
   8 7 3
   9 8 6
   5 5 5
   4 3 2];
barh(y)
xlabel('X轴');
ylabel('Y轴');
title('第二子图');
```

## 实例27：设置照明方式

```
function shili27
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例27');
subplot(2,2,1)
sphere
shading flat
camlight left
camlight right
lighting flat
colorbar
axis off
title('Figure1')
subplot(2,2,2)
sphere
shading flat
camlight left
camlight right
lighting gouraud
colorbar
axis off
title('Figure2')
subplot(2,2,3)
sphere
shading interp
camlight right
camlight left
lighting phong
```

```
colorbar
axis off
title('Figure3')
subplot(2,2,4)
sphere
shading flat
camlight left
camlight right
lighting none
colorbar
axis off
title('Figure4')
```

#### 实例28: 羽状图

```
function shili28
h0=figure('toolbar','none',...
    'position',[200 150 450 350],...
    'name','实例28');
subplot(2,1,1)
alpha=90:-10:0;
r=ones(size(alpha));
m=alpha*pi/180;
n=r*10;
[u,v]=pol2cart(m,n);
feather(u,v)
title('羽状图')
axis([0 20 0 10])
subplot(2,1,2)
t=0:0.5:10;
```

```
x=0.05+i;
y=exp(-x*t);
feather(y)
title('复数矩阵的羽状图')
```

### 实例29: 立体透视 (1)

```
function shili29
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例29');
[x,y,z]=meshgrid(-2:0.1:2,...
    -2:0.1:2,...
    -2:0.1:2);
v=x.*exp(-x.^2-y.^2-z.^2);
grid on
for i=-2:0.5:2;
    h1=surf(linspace(-2,2,20),...
        linspace(-2,2,20),...
        zeros(20)+i);
    rotate(h1,[1 -1 1],30)
    dx=get(h1,'xdata');
    dy=get(h1,'ydata');
    dz=get(h1,'zdata');
    delete(h1)
    slice(x,y,z,v,[-2 2],2,-2)
    hold on
    slice(x,y,z,v,dx,dy,dz)
    hold off
    axis tight
```

```
view(-5,10)
drawnow
end
```

### 实例30: 立体透视 (2)

```
function shili30
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例30');
[x,y,z]=meshgrid(-2:0.1:2,...
    -2:0.1:2,...
    -2:0.1:2);
v=x.*exp(-x.^2-y.^2-z.^2);
[dx,dy,dz]=cylinder;
slice(x,y,z,v,[-2 2],2,-2)
for i=-2:0.2:2
    h=surface(dx+i,dy,dz);
    rotate(h,[1 0 0],90)
    xp=get(h,'xdata');
    yp=get(h,'ydata');
    zp=get(h,'zdata');
    delete(h)
end
hold on
hs=slice(x,y,z,v,xp,yp,zp);
axis tight
xlim([-3 3])
view(-10,35)
drawnow
delete(hs)
```

```

        hold off
    end

实例31: 表面图形

function shili31
h0=figure('toolbar','none',...
    'position',[200 150 550 250],...
    'name','实例31');
subplot(1,2,1)
x=rand(100,1)*16-8;
y=rand(100,1)*16-8;
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
xlin=linspace(min(x),max(x),33);
ylin=linspace(min(y),max(y),33);
[X,Y]=meshgrid(xlin,ylin);
Z=griddata(x,y,z,X,Y,'cubic');
mesh(X,Y,Z)
axis tight
hold on
plot3(x,y,z,'.', 'MarkerSize',20)
subplot(1,2,2)
k=5;
n=2^k-1;
theta=pi*(-n:2:n)/n;
phi=(pi/2)*(-n:2:n)'/n;
X=cos(phi)*cos(theta);
Y=cos(phi)*sin(theta);
Z=sin(phi)*ones(size(theta));

```

```
colormap([0 0 0;1 1 1])
C=hadamard(2^k);
surf(X,Y,Z,C)
axis square
```

### 实例32：沿曲线移动的小球

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例32');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
t=0:pi/24:4*pi;
y=sin(t);
plot(t,y,'b')
n=length(t);
h=line('color',[0 0.5 0.5],...
    'linestyle','.',...
    'markersize',25,...
    'erasemode','xor');
k1=icontrol('parent',h0,...
    'style','pushbutton',...
    'position',[80 100 50 30],...
    'string','开始',...
    'callback',[...
        'i=1;',...
        'k=1;',...
        'm=0;',...
        'while 1,']
```

```

        'if k==0,',',...
        'break,',',...
        'end,',',...
        'if k-=0,',',...
        'set(h, ''xdata'', t(i), ''ydata'', y(i)),',',...
        'drawnow;',',...
        'i=i+1;',',...
        'if i>n,',',...
        'm=m+1;',',...
        'i=1;',',...
        'end,',',...
        'end,',',...
        'end'];
k2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[180 100 50 30],...
    'string','停止',...
    'callback',[...
        'k=0;',',...
        'set(e1, ''string'',m),',',...
        'p=get(h, ''xdata'');',',...
        'q=get(h, ''ydata'');',',...
        'set(e2, ''string'',p);',',...
        'set(e3, ''string'',q)'];
k3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[280 100 50 30],...
    'string','关闭',...
    'callback','close');

```

```

e1=uicontrol('parent',h0,...
    'style','edit',...
    'position',[60 30 60 20]);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','循环次数',...
    'position',[60 50 60 20]);
e2=uicontrol('parent',h0,...
    'style','edit',...
    'position',[180 30 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','终点的X坐标值',...
    'position',[155 50 100 20]);
e3=uicontrol('parent',h0,...
    'style','edit',...
    'position',[300 30 50 20]);
t3=uicontrol('parent',h0,...
    'style','text',...
    'string','终点的Y坐标值',...
    'position',[275 50 100 20]);

```

### 实例33：曲线转换按钮

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例33');
x=0:0.5:2*pi;
y=sin(x);
h=plot(x,y);

```

```

grid on
huidiao=[...
    'if i==1,',',...
    'i=0;',',...
    'y=cos(x);,',',...
    'delete(h),',',...
    'set(hm, ''string'', ''正弦函数''),',',...
    'h=plot(x,y);,',',...
    'grid on,',',...
    'else if i==0,',',...
    'i=1;',',',...
    'y=sin(x);,',',...
    'set(hm, ''string'', ''余弦函数''),',',...
    'delete(h),',',...
    'h=plot(x,y);,',',...
    'grid on,',',...
    'end,',',...
    'end'];
hm=uicontrol(gcf, 'style', 'pushbutton', ...
    'string', '余弦函数', ...
    'callback', huidiao);
i=1;
set(hm, 'position', [250 20 60 20]);
set(gca, 'position', [0.2 0.2 0.6 0.6])
title('按钮的使用')
hold on

实例34： 栅格控制按钮

h0=figure('toolbar', 'none', ...

```

```

    'position',[200 150 450 250],...
    'name','实例34');
x=0:0.5:2*pi;
y=sin(x);
plot(x,y)
huidiao1=[...
    'set(h_toggle2,''value'',0),',...
    'grid on,',...
    ];
huidiao2=[...
    'set(h_toggle1,''value'',0),',...
    'grid off,',...
    ];
h_toggle1=uicontrol(gcf,'style','togglebutton',...
    'string','grid on',...
    'value',0,...
    'position',[20 45 50 20],...
    'callback',huidiao1);
h_toggle2=uicontrol(gcf,'style','togglebutton',...
    'string','grid off',...
    'value',0,...
    'position',[20 20 50 20],...
    'callback',huidiao2);
set(gca,'position',[0.2 0.2 0.6 0.6])
title('开关按钮的使用')

```

### 实例35: 编辑框的使用

```

h0=figure('toolbar','none',...
    'position',[200 150 350 250],...

```

```

    'name', '实例35');
f='Please input the letter';
huidiao1=[...
    'g=upper(f);', ...
    'set(h2_edit, ''string'', g),', ...
];
huidiao2=[...
    'g=lower(f);', ...
    'set(h2_edit, ''string'', g),', ...
];
h1_edit=icontrol(gcf, 'style', 'edit', ...
    'position', [100 200 100 50], ...
    'HorizontalAlignment', 'left', ...
    'string', 'Please input the letter', ...
    'callback', 'f=get(h1_edit, ''string'');', ...
    'background', 'w', ...
    'max', 5, ...
    'min', 1);
h2_edit=icontrol(gcf, 'style', 'edit', ...
    'HorizontalAlignment', 'left', ...
    'position', [100 100 100 50], ...
    'background', 'w', ...
    'max', 5, ...
    'min', 1);
h1_button=icontrol(gcf, 'style', 'pushbutton', ...
    'string', '小写变大写', ...
    'position', [100 45 100 20], ...
    'callback', huidiao1);
h2_button=icontrol(gcf, 'style', 'pushbutton', ...

```

```
'string', '大写变小写', ...
'position', [100 20 100 20], ...
'callback', huidiao2);
```

### 实例36: 弹出式菜单

```
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例36');
x=0:0.5:2*pi;
y=sin(x);
h=plot(x,y);
grid on
hm=uicontrol(gcf,'style','popupmenu',...
    'string',...
    'sin(x)|cos(x)|sin(x)+cos(x)|exp(-sin(x))',...
    'position',[250 20 50 20]);
set(hm,'value',1)
huidiao=[...
    'v=get(hm, ''value'');', ...
    'switch v,', ...
    'case 1,', ...
    'delete(h)', ...
    'y=sin(x);', ...
    'h=plot(x,y);', ...
    'grid on,', ...
    'case 2,', ...
    'delete(h)', ...
    'y=cos(x);', ...
    'h=plot(x,y);', ...
```

```
'grid on','...
'case 3','...
'delete(h)','...
'y=sin(x)+cos(x);','...
'h=plot(x,y);','...
'grid on','...
'case 4','...
'delete(h)','...
'y=exp(-sin(x));','...
'h=plot(x,y);','...
'grid on','...
'end'];

set(hm,'callback',huidiao)
set(gca,'position',[0.2 0.2 0.6 0.6])
title('弹出式菜单的使用')
hold on
```

### 实例37: 滑标的使用

```
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例37');
[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
h0=mesh(x,y,z);
h1=axes('position',...
    [0.2 0.2 0.5 0.5],...
    'visible','off');
htext=uicontrol(gcf,...
    'units','points',...
    'position',[20 30 45 15],...
    'string','brightness',...
    'style','text');
hslider=uicontrol(gcf,...
    'units','points',...
    'position',[10 10 300 15],...
    'min',-1,...
    'max',1,...
    'style','slider',...
    'callback',...
    'brighten(get(hslider,'value'))');
```

### 实例38: 多选菜单

```
h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例38');
```

```

[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
h0=mesh(x,y,z);
hlist=uicontrol(gcf,'style','listbox',...
    'string','default|spring|summer|autumn|winter',...
    'max',5,...
    'min',1,...
    'position',[20 20 80 100],...
    'callback',[...
        'k=get(hlist,''value'');',...
        'switch k,',...
        'case 1,',...
        'colormap default,',...
        'case 2,',...
        'colormap spring,',...
        'case 3,',...
        'colormap summer,',...
        'case 4,',...
        'colormap autumn,',...
        'case 5,',...
        'colormap winter,',...
        'end']);

```

### 实例39：菜单控制的使用

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例39');
x=0:0.5:2*pi;

```

```

y=cos(x);
h=plot(x,y);
grid on
set(gcf,'toolbar','none')
hm=uimenu('label','example');
huidiao1=[...
    'set(hm_gridon,''checked'',''on''),'...',...
    'set(hm_gridoff,''checked'',''off''),'...',...
    'grid on'];
huidiao2=[...
    'set(hm_gridoff,''checked'',''on''),'...',...
    'set(hm_gridon,''checked'',''off''),'...',...
    'grid off'];
hm_gridon=uimenu(hm,'label','grid on',...
    'checked','on',...
    'callback',huidiao1);
hm_gridoff=uimenu(hm,'label','grid off',...
    'checked','off',...
    'callback',huidiao2);

```

#### 实例40: UIMENU菜单的应用

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例40');
h1=uimenu(gcf,'label','函数');
h11=uimenu(h1,'label','轮廓图',...
    'callback',[...
        'set(h31,''checked'',''on''),'...',...
        'set(h32,''checked'',''off''),'...',...

```

```

        '[x,y,z]=peaks;',',...
        'contour3(x,y,z,30)');
h12=ui menu(h1,'label','高斯分布',...
    'callback',[...
        'set(h31,''checked'',''on''),'...',...
        'set(h32,''checked'',''off''),'...',...
        'mesh(peaks);',',...
        'axis tight']);
h13=ui menu(h1,'label','Sinc函数',...
    'callback',[...
        'set(h31,''checked'',''on''),'...',...
        'set(h32,''checked'',''off''),'...',...
        '[x,y]=meshgrid(-8:0.5:8);',',...
        'r=sqrt(x.^2+y.^2)+eps;',',...
        'z=sin(r)./r;',',...
        'mesh(x,y,z)']);
h2=ui menu(gcf,'label','色彩');
h12(1)=ui menu(h2,'label','Default',...
    'checked','on',...
    'callback',...
    [...
        'set(h12,''checked'',''off''),'...',...
        'set(h12(1),''checked'',''on''),'...',...
        'colormap(''default'')']);
h12(2)=ui menu(h2,'label','spring',...
    'callback',...
    [...
        'set(h12,''checked'',''off''),'...',...
        'set(h12(2),''checked'',''on''),'...',...

```

```

        'colormap(spring)');
h12(3)=uimenu(h2,'label','Summer',...
    'callback',...
    [...
        'set(h12,'checked','off'),',...
        'set(h12(3),'checked','on'),',...
        'colormap(summer)']);
h12(4)=uimenu(h2,'label','Autumn',...
    'callback',...
    [...
        'set(h12,'checked','off'),',...
        'set(h12(4),'checked','on'),',...
        'colormap(autumn)']);
h12(5)=uimenu(h2,'label','Winter',...
    'callback',...
    [...
        'set(h12,'checked','off'),',...
        'set(h12(5),'checked','on'),',...
        'colormap(winter)']);
h3=uimenu(gcf,'label','坐标选项');
h31=uimenu(h3,'label','Axis on',...
    'callback',...
    [...
        'axis on,',',...
        'set(h31,'checked','on'),',...
        'set(h32,'checked','off')']);
h32=uimenu(h3,'label','Axis off',...
    'callback',...
    [...

```

```

'axis off, ', ...
'set(h32, 'checked', 'on'), ', ...
'set(h31, 'checked', 'off')'];

```

#### 实例41: 除法计算器

```

h=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例41');
h1=uicontrol(gcf,'style','edit',...
    'position',[80 200 100 20],...
    'HorizontalAlignment','right',...
    'callback',['m=get(h1, 'string');', ...
    'a=str2num(m);']);
h2=uicontrol(gcf,'style','edit',...
    'HorizontalAlignment','right',...
    'position',[80 150 100 20],...
    'callback',['n=get(h2, 'string');', ...
    'b=str2num(n);']);
h3=uicontrol(gcf,'style','text',...
    'string','被除数',...
    'position',[80 230 100 20]);
h4=uicontrol(gcf,'style','edit',...
    'position',[80 50 100 20]);
h5=uicontrol(gcf,'style','pushbutton',...
    'position',[80 100 100 20],...
    'string','=',...
    'callback',[...
    'if b==0, ', ...
    'h7=errordlg('除数不能为0! ', 'error', 'on');', ...

```

```

        'else, ', ...
        'k=a/b;', ...
        'c=num2str(k);', ...
        'set(h4, ''string'', c), ', ...
        'end'];
h8=uicontrol(gcf, 'style', 'text', ...
    'string', '除数', ...
    'position', [80 175 100 20]);
h9=uicontrol(gcf, 'style', 'text', ...
    'string', '商', ...
    'position', [80 75 100 20]);

```

#### 实例42: 单选框的使用

```

h0=figure('toolbar', 'none', ...
    'position', [200 150 450 250], ...
    'name', '实例42');
x=0:0.5:2*pi;
y=sin(x);
plot(x, y)
grid on
set(gcf, 'toolbar', 'none')
g=set(gca, 'position', [0.2 0.2 0.6 0.6]);
huidiao1=[...
    'grid on, ', ...
    'set(box_on, ''value'', 1), ', ...
    'set(box_off, ''value'', 0), '];
huidiao2=[...
    'grid off, ', ...
    'set(box_off, ''value'', 1), ', ...

```

```

        'set(box_on, 'value', 0), '];
box_on=icontrol(gcf, 'style', 'radio', ...
    'position', [5 50 50 20], ...
    'string', 'grid on', ...
    'value', 1, ...
    'callback', huidaol);
box_off=icontrol(gcf, 'style', 'radio', ...
    'position', [5 20 50 20], ...
    'string', 'grid off', ...
    'value', 0, ...
    'callback', huidao2);
title('无线按钮的使用')

```

#### 实例43: 添加环境效果

```

h0=figure('toolbar', 'none', ...
    'position', [198 56 450 468], ...
    'name', '实例43');
h1=axes('parent', h0, ...
    'position', [0.15 0.45 0.7 0.5], ...
    'visible', 'off');
sphere
h=findobj('type', 'surface');
shading interp
axis equal
l=light('position', [0 -2 1]);
k(1)=get(h, 'specularstrength');
k(2)=get(h, 'diffusestrength');
k(3)=get(h, 'specularexponent');
k(4)=get(h, 'specularcolorreflectance');

```

```

u1=uimenu('parent',h0,...
    'label','灯光效果',...
    'tag','u1',...
    'backgroundcolor',[0.75 0.75 0.75]);
u11=uimenu('parent',u1,...
    'label','gouraud',...
    'tag','u11',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'set(u11,'checked','on');',...
        'set(u12,'checked','off');',...
        'set(h,'facelighting','gouraud')']);
u12=uimenu('parent',u1,...
    'label','phong',...
    'tag','u12',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'set(u11,'checked','off');',...
        'set(u12,'checked','on');',...
        'set(h,'facelighting','gouraud')']);
u2=uimenu('parent',h0,...
    'label','背面灯光',...
    'tag','u2',...
    'backgroundcolor',[0.75 0.75 0.75]);
u21=uimenu('parent',u2,...
    'label','reverselit',...
    'tag','u21',...
    'checked','on',...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```

        'callback',[...
            'set(u21,'checked','on');','...
            'set(u22,'checked','off');','...
            'set(h,'backfacelighting','reverselit')'];
u22=uimenu('parent',u2,...
    'label','reverselit',...
    'tag','u22',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'set(u21,'checked','off');','...
        'set(u22,'checked','on');','...
        'set(h,'backfacelighting','reverselit')'];
s1=uicontrol('parent',h0,...
    'units','points',...
    'style','slider',...
    'tag','s1',...
    'min',0,...
    'max',1,...
    'value',k(1),...
    'position',[20 80 100 15],...
    'callback',[...
        'slvalue=get(s1,'value');','...
        'set(h,'specularstrength',slvalue)'];
t1=uicontrol('parent',h0,...
    'units','points',...
    'style','text',...
    'tag','t1',...
    'string','镜面反射强度',...
    'position',[20 97 100 15]);

```

```

s2=icontrol('parent',h0,...
    'units','points',...
    'style','slider',...
    'tag','s2',...
    'min',0,...
    'max',1,...
    'value',k(2),...
    'position',[20 30 100 15],...
    'callback',[...
        's2value=get(s2,''value'');','...
        'set(h,''diffusestrength'',s2value)']);

t2=icontrol('parent',h0,...
    'units','points',...
    'style','text',...
    'tag','t2',...
    'string','漫反射强度',...
    'position',[20 47 100 15]);

s3=icontrol('parent',h0,...
    'units','points',...
    'style','slider',...
    'tag','s3',...
    'min',0.1,...
    'max',1,...
    'value',k(3)/20,...
    'position',[220 80 100 15],...
    'callback',[...
        's3value=get(s3,''value''+eps);','...
        'set(h,''specularexponent'',20*s3value)']);

t3=icontrol('parent',h0,...

```

```

    'units','points',...
    'style','text',...
    'tag','t3',...
    'string','镜面指数',...
    'position',[220 97 100 15]);
s4=uicontrol('parent',h0,...
    'units','points',...
    'style','slider',...
    'tag','s4',...
    'min',0,...
    'max',1,...
    'value',k(4),...
    'position',[220 30 100 15],...
    'callback',[...
        's4value=get(s4,''value'');',...
        'set(h,''specularcolorreflectance'',s4value)']);
t4=uicontrol('parent',h0,...
    'units','points',...
    'style','text',...
    'tag','t1',...
    'string','镜面颜色反射比',...
    'position',[220 47 100 15]);
b1=uicontrol('parent',h0,...
    'units','points',...
    'style','pushbutton',...
    'tag','b1',...
    'string','关闭',...
    'position',[145 45 50 30],...
    'callback','close');

```

#### 实例44：改变坐标轴范围

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例44');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
e1=uicontrol('parent',h0,...
    'style','edit',...
    'string',1,...
    'position',[50 120 50 20]);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','X轴最小值',...
    'position',[35 150 80 20]);
e2=uicontrol('parent',h0,...
    'style','edit',...
    'string',5,...
    'position',[50 60 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','X轴最大值',...
    'position',[35 90 80 20]);
e3=uicontrol('parent',h0,...
    'style','edit',...
    'string',1,...
    'position',[150 120 50 20]);
t3=uicontrol('parent',h0,...
```

```

        'style','text',...
        'string','Y轴最小值',...
        'position',[135 150 80 20]);
e4=uicontrol('parent',h0,...
    'style','edit',...
    'string',5,...
    'position',[150 60 50 20]);
t4=uicontrol('parent',h0,...
    'style','text',...
    'string','Y轴最大值',...
    'position',[135 90 80 20]);
e5=uicontrol('parent',h0,...
    'style','edit',...
    'string',20,...
    'position',[250 120 50 20]);
t5=uicontrol('parent',h0,...
    'style','text',...
    'horizontalalignment','left',...
    'string','点数',...
    'position',[250 150 30 20]);
b1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','绘图',...
    'position',[250 60 60 40],...
    'callback',[...
        'a=str2num(get(e1,''string''));','...
        'b=str2num(get(e2,''string''));','...
        'c=str2num(get(e3,''string''));','...
        'd=str2num(get(e4,''string''));','...

```

```

'n=str2num(get(e5,'string'));',...
'xgrid=linspace(-abs(a),abs(a),n);',...
'ygrid=linspace(-abs(b),abs(b),n);',...
'[x,y]=meshgrid(xgrid,ygrid);',...
'z=c*sqrt(d-y.*y/b/b-x.*x/a/a);',...
'u=1; ',...
'z1=real(z); ',...
'for k=2:n-1, ',...
'for j=2:n-1, ',...
'if imag(z(k,j))~=0, ',...
'z1(k,j)=0; ',...
'end, ',...
'if all(imag(z([k-1:k+1],[j-1:j+1])))~=0, ',...
'z1(k,j)=nan; ',...
'end, ',...
'end, ',...
'end, ',...
'surf(x,y,z1), ',...
'hold on, ',...
'if u==1, ',...
'z2=-z1; ',...
'surf(x,y,z2), ',...

'axis([-abs(a),abs(a),-abs(b),abs(b),-abs(c),abs(c)]); ',...
'end, ',...
xlabel('x'); ',...
ylabel('y'); ',...
zlabel('z'); ',...
'hold off'];

```

```
b2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','关闭',...
    'position',[150 10 60 20],...
    'callback','close');
```

#### 实例45：简单运算器

```
h1=uicontrol(gcf,'style','radio',...
    'string','加',...
    'value',1,...
    'position',[20 150 40 20],...
    'callback',[...
        'k=1;',',',...
        'set(h1,''value'',1),',',...
        'set(h2,''value'',0),',',...
        'set(h3,''value'',0)']);
h2=uicontrol(gcf,'style','radio',...
    'string','减',...
    'position',[20 110 40 20],...
    'callback',[...
        'k=2;',',',...
        'set(h2,''value'',1),',',...
        'set(h1,''value'',0),',',...
        'set(h3,''value'',0)']);
h3=uicontrol(gcf,'style','radio',...
    'string','乘',...
    'position',[20 70 40 20],...
    'callback',[...
        'k=3;',',',...
```

```

        'set(h3, 'value', 1), ', ...
        'set(h2, 'value', 0), ', ...
        'set(h1, 'value', 0)'];
e1=uicontrol(gcf, 'style', 'edit', ...
    'position', [80 150 100 20]);
e2=uicontrol(gcf, 'style', 'edit', ...
    'position', [80 110 100 20]);
e3=uicontrol(gcf, 'style', 'edit', ...
    'position', [80 70 100 20]);
b1=uicontrol(gcf, 'style', 'pushbutton', ...
    'string', '运算', ...
    'position', [200 150 80 30], ...
    'callback', [...
        'x=str2num(get(e1, 'string'))', ', ...
        'y=str2num(get(e2, 'string'))', ', ...
        'switch k, ', ...
        'case 1, ', ...
        'z=x+y;', ', ...
        'case 2, ', ...
        'z=x-y;', ', ...
        'case 3, ', ...
        'z=x*y;', ', ...
        'end, ', ...
        'set(e3, 'string', num2str(z))']);
b2=uicontrol(gcf, 'style', 'pushbutton', ...
    'string', '退出', ...
    'position', [200 100 80 30], ...
    'callback', 'close');

```

#### 实例46：曲线色彩的修改

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','my second gui');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
k=plot(x,sin(x));
xlabel('自变量X');
ylabel('函数值Y');
title('图形色彩改变');
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor','r',...
    'position',[60 100 50 30],...
    'callback','set(k,''color'',''r'')');
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor','g',...
    'position',[170 100 50 30],...
    'callback','set(k,''color'',''g'')');
p3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor','b',...
    'position',[280 100 50 30],...
    'callback','set(k,''color'',''b'')');
p4=uicontrol('parent',h0,...
    'style','pushbutton',...
```

```
'backgroundcolor',[1 1 1],...
'fontsize',20,...
'fontweight','demi',...
'string','关闭',...
'position',[150 30 80 60],...
'callback','close');
t1=uicontrol('parent',h0,...
'style','text',...
'string','红色',...
'fontsize',12,...
'fontweight','demi',...
'position',[60 120 50 20]);
t2=uicontrol('parent',h0,...
'style','text',...
'string','绿色',...
'fontsize',12,...
'fontweight','demi',...
'position',[170 120 50 20]);
t3=uicontrol('parent',h0,...
'style','text',...
'string','蓝色',...
'fontsize',12,...
'fontweight','demi',...
'position',[280 120 50 20]);
```

### 实例47：曲线标记

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','my second gui');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
k=plot(x,sin(x),'*');
xlabel('自变量X');
ylabel('函数值Y');
title('标记类型的改变');
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','+',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[60 100 50 20],...
    'callback','set(k,''marker'',''+''')');
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','o',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[170 100 50 20],...
    'callback','set(k,''marker'',''o'')');
p3=uicontrol('parent',h0,...
```

```

    'style','pushbutton',...
    'string','x',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[280 100 50 20],...
    'callback','set(k,'marker','x')');
p4=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor',[1 1 1],...
    'fontsize',20,...
    'fontweight','demi',...
    'string','关闭',...
    'position',[150 30 80 60],...
    'callback','close');
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','星号',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[60 120 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','圆圈',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[170 120 50 20]);
t3=uicontrol('parent',h0,...
    'style','text',...

```

```
'string','叉号',...
'fontsize',12,...
'fontweight','demi',...
'position',[280 120 50 20]);
```

#### 实例48：修改曲型

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例48');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
k=plot(x,sin(x));
xlabel('自变量X');
ylabel('函数值Y');
title('线型的改变');
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','-.',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[60 100 50 20],...
    'callback','set(k,''linestyle'',''-.'')');
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string',':',...
    'fontsize',20,...
```

```

    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[170 100 50 20],...
    'callback','set(k, ''linestyle'', '':''')');
p3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','- ',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[280 100 50 20],...
    'callback','set(k, ''linestyle'', ''-'')');
p4=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor',[1 1 1],...
    'fontsize',20,...
    'fontweight','demi',...
    'string','关闭',...
    'position',[150 30 80 60],...
    'callback','close');
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','点划线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[60 120 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','虚线',...

```

```

        'fontsize',12,...
        'fontweight','demi',...
        'position',[170 120 50 20]);
t3=uicontrol('parent',h0,...
    'style','text',...
    'string','实线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[280 120 50 20]);

```

#### 实例48: 修改曲型

```

h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例48');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
k=plot(x,sin(x));
xlabel('自变量X');
ylabel('函数值Y');
title('线型的改变');
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','-.',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[60 100 50 20],...

```

```

        'callback', 'set(k, ''linestyle'', ''-.'')');
p2=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'string', ':', ...
    'fontsize', 20, ...
    'foregroundcolor', [1 1 1], ...
    'backgroundcolor', [0 0 0], ...
    'position', [170 100 50 20], ...
    'callback', 'set(k, ''linestyle'', '':''')');
p3=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'string', '-', ...
    'fontsize', 20, ...
    'foregroundcolor', [1 1 1], ...
    'backgroundcolor', [0 0 0], ...
    'position', [280 100 50 20], ...
    'callback', 'set(k, ''linestyle'', ''-''')');
p4=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'backgroundcolor', [1 1 1], ...
    'fontsize', 20, ...
    'fontweight', 'demi', ...
    'string', '关闭', ...
    'position', [150 30 80 60], ...
    'callback', 'close');
t1=uicontrol('parent', h0, ...
    'style', 'text', ...
    'string', '点划线', ...
    'fontsize', 12, ...

```

```

    'fontweight','demi',...
    'position',[60 120 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','虚线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[170 120 50 20]);
t3=uicontrol('parent',h0,...
    'style','text',...
    'string','实线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[280 120 50 20]);

```

#### 实例48：修改曲型

```

h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例48');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
k=plot(x,sin(x));
xlabel('自变量X');
ylabel('函数值Y');
title('线型的改变');
p1=uicontrol('parent',h0,...
    'style','pushbutton',...

```

```

    'string','-.',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[60 100 50 20],...
    'callback','set(k, ''linestyle'', ''-.'')');
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string',':',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[170 100 50 20],...
    'callback','set(k, ''linestyle'', '':''')');
p3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','- ',...
    'fontsize',20,...
    'foregroundcolor',[1 1 1],...
    'backgroundcolor',[0 0 0],...
    'position',[280 100 50 20],...
    'callback','set(k, ''linestyle'', ''-'')');
p4=uicontrol('parent',h0,...
    'style','pushbutton',...
    'backgroundcolor',[1 1 1],...
    'fontsize',20,...
    'fontweight','demi',...
    'string','关闭',...
    'position',[150 30 80 60],...

```

```

        'callback','close');
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','点划线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[60 120 50 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','虚线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[170 120 50 20]);
t3=uicontrol('parent',h0,...
    'style','text',...
    'string','实线',...
    'fontsize',12,...
    'fontweight','demi',...
    'position',[280 120 50 20]);

```

#### 实例49：指定坐标轴范围

```

h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例49');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','on');
x=0:0.1:2*pi;
y=sin(x);

```

```

plot(x,y);
xlabel('X');
ylabel('Y');
title('坐标轴范围的改变');
h=get(gca,'xlim');
k=get(gca,'ylim');
e1=uicontrol('parent',h0,...
    'style','edit',...
    'string',eval(num2str(h(1))),...
    'horizontalalignment','right',...
    'position',[80 120 100 20]);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','X轴最小值',...
    'position',[100 145 80 20]);
e2=uicontrol('parent',h0,...
    'style','edit',...
    'string',eval(num2str(h(2))),...
    'horizontalalignment','right',...
    'position',[80 60 100 20]);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','X轴最大值',...
    'position',[100 85 80 20]);
e3=uicontrol('parent',h0,...
    'style','edit',...
    'string',eval(num2str(k(1))),...
    'horizontalalignment','right',...
    'position',[250 120 100 20]);

```

```

t3=uicontrol('parent',h0,...
    'style','text',...
    'string','Y轴最小值',...
    'position',[270 145 80 20]);
e4=uicontrol('parent',h0,...
    'style','edit',...
    'string',eval(num2str(k(2))),...
    'horizontalalignment','right',...
    'position',[250 60 100 20]);
t4=uicontrol('parent',h0,...
    'style','text',...
    'string','X轴最小值',...
    'position',[270 85 80 20]);
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','设置',...
    'position',[105 10 50 30],...
    'callback',[...
        'a=str2num(get(e1,''string''));','...
        'b=str2num(get(e2,''string''));','...
        'c=str2num(get(e3,''string''));','...
        'd=str2num(get(e4,''string''));','...
        'axis([a b c d]),','...
        'drawnow']);
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','关闭',...
    'position',[275 10 50 30],...
    'callback','close');

```

## 实例50：绘制不同函数曲线的用户界面

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例50');
h1=axes('parent',h0,...
    'position',[0.29 0.45 0.7 0.5],...
    'visible','on');
f=uicontrol('parent',h0,...
    'style','frame',...
    'position',[5 50 90 400]);
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[150 100 60 40],...
    'string','绘图',...
    'callback',[...
        'm=str2num(get(e1,''string''));','...
        'n=str2num(get(e2,''string''));','...
        'a=get(l1,''value'');','...
        'x=m:0.1:n;','...
        'if a==1,','...
        'plot(x,sin(x)),','...
        'end,','...
        'if a==2,','...
        'plot(x,cos(x)),','...
        'end,','...
        'if a==3,','...
        'plot(x,exp(x)),','...
        'end'];
```

```

p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[270 100 60 40],...
    'string','关闭',...
    'callback','close');
l1=uicontrol('parent',h0,...
    'style','listbox',...
    'position',[10 300 80 80],...
    'string','sin(x)|cos(x)|exp(x)',...
    'value',1,...
    'max',0.5,...
    'min',0);
f2=uicontrol('parent',h0,...
    'style','text',...
    'string','选择函数',...
    'fontsize',10,...
    'position',[10 380 80 20]);
r1=uicontrol('style','radio',...
    'string','grid on',...
    'value',0,...
    'position',[10 100 60 20],...
    'callback',[...
        'grid on,',...
        'set(r1,''value'',1);,',...
        'set(r2,''value'',0)']);
r2=uicontrol('style','radio',...
    'string','grid off',...
    'position',[10 80 60 20],...
    'value',1,...

```

```

        'callback',[...
            'grid off',...
            'set(r2,''value'',1);',...
            'set(r1,''value'',0)'];
e1=uicontrol('parent',h0,...
    'style','edit',...
    'string',0,...
    'position',[20 210 60 20],...
    'horizontalalignment','right');
e2=uicontrol('parent',h0,...
    'style','edit',...
    'string','3',...
    'position',[20 150 60 20],...
    'horizontalalignment','right');
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','X from',...
    'fontsize',10,...
    'position',[20 230 60 20],...
    'horizontalalignment','center');
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','To',...
    'fontsize',10,...
    'position',[20 170 60 20],...
    'horizontalalignment','center');

```

实例51: 可设置函数曲线图视角的用户界面

```
h0=figure('toolbar','none',...
```

```

        'position',[198 56 408 468],...
        'name','实例51');
h1=axes('parent',h0,...
        'position',[0.15 0.45 0.7 0.5],...
        'visible','off');
[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
fl=surf(x,y,z);
shading interp
view(-50,30)
camlight left
colormap([1 0 0])
fv=get(h0,'colormap');
ifv=fv;
p1=uicontrol('parent',h0,...
        'style','pushbutton',...
        'string','重置',...
        'position',[280 120 50 30],...
        'callback',[...
            'set(s1,''value'',ifv(1));','...
            'set(s2,''value'',ifv(2));','...
            'set(s3,''value'',ifv(3));','...
            'set(h0,''colormap'',ifv)'];
p2=uicontrol('parent',h0,...
        'style','pushbutton',...
        'string','关闭',...
        'position',[280 60 50 30],...
        'callback','close');

```

```

s1=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(1),...
    'position',[20 150 200 20],...
    'callback',[...
        's1k=get(s1,''value'');',...
        'fv(1)=s1k;',...
        'set(h0,''colormap'',fv);']);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','改变红色成分',...
    'position',[20 170 100 20]);
s2=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(2),...
    'position',[20 100 200 20],...
    'callback',[...
        's2k=get(s2,''value'');',...
        'fv(2)=s2k;',...
        'set(h0,''colormap'',fv);']);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','改变绿色成分',...
    'position',[20 120 100 20]);
s3=uicontrol('parent',h0,...

```

```

    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(3),...
    'position',[20 50 200 20],...
    'callback',[...
        's3k=get(s3, ''value'');',...
        'fv(3)=s3k;',...
        'set(h0, ''colormap'', fv);'];
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','改变蓝色成分',...
    'position',[20 70 100 20]);

```

实例51: 可设置函数曲线图视角的用户界面

```

h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例51');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','off');
[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
f1=surf(x,y,z);
shading interp
view(-50,30)
camlight left
colormap([1 0 0])

```

```

fv=get(h0,'colormap');
ifv=fv;
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','重置',...
    'position',[280 120 50 30],...
    'callback',[...
        'set(s1,''value'',ifv(1));','...
        'set(s2,''value'',ifv(2));','...
        'set(s3,''value'',ifv(3));','...
        'set(h0,''colormap'',ifv)'];
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','关闭',...
    'position',[280 60 50 30],...
    'callback','close');
s1=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(1),...
    'position',[20 150 200 20],...
    'callback',[...
        's1k=get(s1,''value'');','...
        'fv(1)=s1k;','...
        'set(h0,''colormap'',fv)'];
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','改变红色成分',...

```

```

        'position',[20 170 100 20]);
s2=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(2),...
    'position',[20 100 200 20],...
    'callback',[...
        's2k=get(s2,''value'');','...
        'fv(2)=s2k;','...
        'set(h0,''colormap'',fv);']);
t2=uicontrol('parent',h0,...
    'style','text',...
    'string','改变绿色成分',...
    'position',[20 120 100 20]);
s3=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(3),...
    'position',[20 50 200 20],...
    'callback',[...
        's3k=get(s3,''value'');','...
        'fv(3)=s3k;','...
        'set(h0,''colormap'',fv);']);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','改变蓝色成分',...
    'position',[20 70 100 20]);

```

### 实例51: 修改函数曲线图颜色的用户界面

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例51');
h1=axes('parent',h0,...
    'position',[0.15 0.45 0.7 0.5],...
    'visible','off');
[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
fl=surf(x,y,z);
shading interp
view(-50,30)
camlight left
colormap([1 0 0])
fv=get(h0,'colormap');
ifv=fv;
p1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','重置',...
    'position',[280 120 50 30],...
    'callback',[...
        'set(s1,''value'',ifv(1));','...
        'set(s2,''value'',ifv(2));','...
        'set(s3,''value'',ifv(3));','...
        'set(h0,''colormap'',ifv)'];
p2=uicontrol('parent',h0,...
    'style','pushbutton',...
```

```

    'string','关闭',...
    'position',[280 60 50 30],...
    'callback','close');
s1=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(1),...
    'position',[20 150 200 20],...
    'callback',[...
        's1k=get(s1,''value'');','...',...
        'fv(1)=s1k;','...',...
        'set(h0,''colormap'',fv);']);
t1=uicontrol('parent',h0,...
    'style','text',...
    'string','改变红色成分',...
    'position',[20 170 100 20]);
s2=uicontrol('parent',h0,...
    'style','slider',...
    'min',0,...
    'max',1,...
    'value',fv(2),...
    'position',[20 100 200 20],...
    'callback',[...
        's2k=get(s2,''value'');','...',...
        'fv(2)=s2k;','...',...
        'set(h0,''colormap'',fv);']);
t2=uicontrol('parent',h0,...
    'style','text',...

```

```

    'string', '改变绿色成分', ...
    'position', [20 120 100 20]);
s3=icontrol('parent', h0, ...
    'style', 'slider', ...
    'min', 0, ...
    'max', 1, ...
    'value', fv(3), ...
    'position', [20 50 200 20], ...
    'callback', [...
        's3k=get(s3, ''value'');', ...
        'fv(3)=s3k;', ...
        'set(h0, ''colormap'', fv);']);
t1=icontrol('parent', h0, ...
    'style', 'text', ...
    'string', '改变蓝色成分', ...
    'position', [20 70 100 20]);

```

## 实例52：可设置函数曲线图视角的用户界面

```

h0=figure('toolbar', 'none', ...
    'position', [198 56 408 468], ...
    'name', '实例52');
h1=axes('parent', h0, ...
    'position', [0.15 0.5 0.7 0.5], ...
    'visible', 'off');
[x, y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
fh=surf(x, y, z);
shading interp

```

```

view([-60 30])
fv=get(h1,'view');
fv2=fv;
camlight left
sh1=uicontrol('parent',h0,...
    'style','slider',...
    'max',1,...
    'min',-1,...
    'value',fv(1)/180,...
    'position',[20 150 200 20],...
    'callback',[...
        'fv(1)=90*get(sh1,''value'');','...',...
        'set(h1,''view'',[fv(1) fv(2)]),'...',...
        'set(ed1,''string'',fv(1))']);
text1=uicontrol('parent',h0,...
    'style','text',...
    'string','方位角的变化滑标',...
    'position',[20 170 200 20]);
sh2=uicontrol('parent',h0,...
    'style','slider',...
    'max',1,...
    'min',-1,...
    'value',fv(2)/180,...
    'position',[20 90 200 20],...
    'callback',[...
        'fv(2)=90*get(sh2,''value'');','...',...
        'set(h1,''view'',[fv(1) fv(2)]),'...',...
        'set(ed2,''string'',fv(2))']);
text2=uicontrol('parent',h0,...

```

```

    'style','text',...
    'string','仰角的变化滑标',...
    'position',[20 110 200 20]);
ed1=uicontrol('parent',h0,...
    'style','edit',...
    'string',fv(1),...
    'position',[30 30 50 20]);
text3=uicontrol('parent',h0,...
    'style','text',...
    'string','方位角的数值',...
    'position',[20 50 80 20]);
ed2=uicontrol('parent',h0,...
    'style','edit',...
    'string',fv(2),...
    'position',[150 30 50 20]);
text4=uicontrol('parent',h0,...
    'style','text',...
    'string','仰角的数值',...
    'position',[135 50 80 20]);
pfl=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','重置',...
    'position',[280 120 50 30],...
    'callback',[...
        'set(h1,''view'',fv2),',...
        'set(sh1,''value'',fv2(1)/180),',...
        'set(sh2,''value'',fv2(2)/180),',...
        'set(ed1,''string'',fv2(1)),',...
        'set(ed2,''string'',fv2(2))'];

```

```
pf2=uicontrol('parent',h0,...  
    'style','pushbutton',...  
    'string','关闭',...  
    'position',[280 60 50 30],...  
    'callback','close');
```

### 实例53: 可设置函数曲线光源的用户界面

```
h0=figure('toolbar','none',...
    'position',[198 56 408 468],...
    'name','实例53');
h1=axes('parent',h0,...
    'position',[0.15 0.5 0.7 0.5],...
    'visible','off');
[x,y]=meshgrid(-8:0.5:8);
r=sqrt(x.^2+y.^2)+eps;
z=sin(r)./r;
fh=surf(x,y,z);
shading interp
view([-60 30])
camlight left
lightk=light('position',[0 -2 1]);
button1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','设置光线',...
    'position',[80 60 70 30],...
    'callback',[...
        'an1=inputdlg(''光线来源的X轴坐标'');','...
        'k1=str2num(an1{1});','...
        'an2=inputdlg(''光线来源的Y轴坐标'');','...
        'k2=str2num(an2{1});','...
        'an3=inputdlg(''光线来源的Z轴坐标'');','...
        'k3=str2num(an3{1});','...
        'set(lightk,''position'',[k1 k2 k3]);','...
        'set(edit1,''string'',[''['',num2str(k1),''
        '','num2str(k2),'' ''',num2str(k3),''']'']);']];
```

```

button2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'string','关闭',...
    'position',[250 60 70 30],...
    'callback','close');
edit1=uicontrol('parent',h0,...
    'style','edit',...
    'max',2,...
    'min',0,...
    'fontsize',15,...
    'backgroundcolor',[1 1 1],...
    'string','[0 -2 1]',...
    'position',[80 110 220 30]);
text1=uicontrol('parent',h0,...
    'style','text',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'fontsize',15,...
    'string','光线来源坐标',...
    'position',[80 140 220 30]);

```

#### 实例54: 添加效果

```

h0=figure('toolbar','none',...
    'position',[200 50 300 350],...
    'name','实例54');
h1=axes('parent',h0,...
    'position',[0.2 0.4 0.6 0.6],...
    'visible','off');
ezsurf('sin(sqrt(x.^2+y.^2))/sqrt(x.^2+y.^2)',[-6*pi,6*pi])
b1=uicontrol('parent',h0,...

```

```

'units','points',...
'tag','b1',...
'style','pushbutton',...
'string','设置',...
'backgroundcolor',[0.75 0.75 0.75],...
'position',[40 50 50 20],...
'callback',[...
    'view(0,75);','...',...
    'shading interp;','...',...
    'lightangle(-45,30);','...',...
    'k=findobj(gca,''type'',''surface'');','...',...
    'set(k,''facelighting'',''phong'');','...',...
    'set(k,''ambientstrength'',0.3);','...',...
    'set(k,''diffusestrength'',0.8);','...',...
    'set(k,''specularstrength'',0.9);','...',...
    'set(k,''specularexponent'',25);','...',...
    'set(k,''backfacelighting'',''unlit'')'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[120 50 50 20],...
    'callback','close');

```

### 实例55: 查询日期

```

h0=figure('toolbar','none',...
    'position',[198 56 408 468],...

```

```

    'name','实例55');
h1=axes('parent',h0,...
    'position',[0.15 0.5 0.7 0.5],...
    'visible','off');
huidiao=[...
    'yearnum=str2num(get(edit1,'string'));',...
    'monthnum=str2num(get(edit2,'string'));',...
    'daynum=str2num(get(edit3,'string'));',...
    'monthday=[0 31 28 31 30 31 30 31 31 30 31 30 31];',...
    'dyear=yearnum-2000;',...
    'beishu=fix(dyear/4);',...
    'yushu=rem(yearnum,4);',...
    'if yushu==0,',...
    'monthday(3)=29;',...
    'end,',...
    'mday=0;',...
    'for i=1:monthnum,',...
    'mday=monthday(i)+mday;',...
    'end,',...
    'yearday=mday+daynum-1;',...
    'noweek=fix(yearday/7);',...

    'set(edit5,'string',['第',num2str(noweek),'周']);',...
    'if dyear>0,',...
    'if yushu==0,',...
    'beishu=beishu-1;',...
    'end,',...
    'dday=yearday+365*dyear+beishu+1;',...
    'end,',...

```

```

'if dyear<=0, ', ...
'dday=365*dyear+yearday+beishu;', ...
'end, ', ...
'mweek=rem(dday,7)+7;', ...
'if mweek==8, ', ...
'set(edit4, 'string', 'Sunday');', ...
'end, ', ...
'if mweek==9, ', ...
'set(edit4, 'string', 'Monday');', ...
'end, ', ...
'if mweek==10, ', ...
'set(edit4, 'string', 'Tuesday');', ...
'end, ', ...
'if mweek==11, ', ...
'set(edit4, 'string', 'Wednesday');', ...
'end, ', ...
'if mweek==12, ', ...
'set(edit4, 'string', 'Thursday');', ...
'end, ', ...
'if mweek==13, ', ...
'set(edit4, 'string', 'Friday');', ...
'end, ', ...
'if mweek==7, ', ...
'set(edit4, 'string', 'Saturday');', ...
'end, ', ...
'if mweek==6, ', ...
'set(edit4, 'string', 'Friday');', ...
'end, ', ...
'if mweek==5, ', ...

```

```

        'set(edit4, 'string', 'Thursday');, ' , ...
    'end, ' , ...
    'if mweek==4, ' , ...
        'set(edit4, 'string', 'Wednesday');, ' , ...
    'end, ' , ...
    'if mweek==3, ' , ...
        'set(edit4, 'string', 'Tuesday');, ' , ...
    'end, ' , ...
    'if mweek==2, ' , ...
        'set(edit4, 'string', 'Monday');, ' , ...
    'end, ' , ...
    'if mweek==1, ' , ...
        'set(edit4, 'string', 'Sunday');, ' , ...
    'end'];

edit1=uicontrol('parent', h0, ...
    'style', 'edit', ...
    'horizontalalignment', 'right', ...
    'position', [40 300 50 20]);

text1=uicontrol('parent', h0, ...
    'style', 'text', ...
    'string', '年', ...
    'horizontalalignment', 'left', ...
    'position', [90 300 50 20]);

edit2=uicontrol('parent', h0, ...
    'style', 'edit', ...
    'horizontalalignment', 'right', ...
    'position', [160 300 50 20]);

text2=uicontrol('parent', h0, ...
    'style', 'text', ...

```

```

    'string','月',...
    'horizontalalignment','left',...
    'position',[210 300 50 20]);
edit3=uicontrol('parent',h0,...
    'style','edit',...
    'horizontalalignment','right',...
    'position',[280 300 50 20]);
text3=uicontrol('parent',h0,...
    'style','text',...
    'string','日',...
    'horizontalalignment','left',...
    'position',[330 300 50 20]);
edit4=uicontrol('parent',h0,...
    'style','edit',...
    'horizontalalignment','left',...
    'position',[210 200 120 20]);
text4=uicontrol('parent',h0,...
    'style','text',...
    'string','查找的日期为',...
    'horizontalalignment','right',...
    'position',[110 200 100 20]);
edit5=uicontrol('parent',h0,...
    'style','edit',...
    'horizontalalignment','left',...
    'position',[210 100 120 20]);
text1=uicontrol('parent',h0,...
    'style','text',...
    'string','该日处于',...
    'horizontalalignment','left',...

```

```
        'position',[160 100 50 20]);  
button1=uicontrol('parent',h0,...  
        'style','pushbutton',...  
        'position',[80 40 80 30],...  
        'string','开始',...  
        'callback',huidiao);  
button2=uicontrol('parent',h0,...  
        'style','pushbutton',...  
        'position',[220 40 80 30],...  
        'string','关闭',...  
        'callback','close');
```

---

为了大学生数学建模，我愿和你成为朋友吧！  
一起努力，分享好东西！ 分享快乐！！

2004-6-1 10:17:34

宝宝

头衔：不可不信缘

等级：贵宾

威望：3

文章：1116

积分：3459

门派：宝宝堂

注册：2003-7-8

## 第 64 楼

### 实例56：图形效果（1）

```
h0=figure('toolbar','none',...
    'position',[198 56 450 468],...
    'name','实例56');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
l1=uimenu(gcf,'label','Draw figure',...
    'tag','l1');
huidiao=[...
    'if get(r1, ''value'')==1, ',...
    'shading faceted, ',...
    'end, ',...
    'if get(r2, ''value'')==1, ',...
    'shading flat, ',...
    'end, ',...
    'if get(r3, ''value'')==1, ',...
    'shading interp, ',...
    'end, ',...
    'k=get(p1, ''value'');, ',...
    'switch k, ',...
```

```

        'case 1,', ...
        'colormap(''cool''),', ...
        'case 2,', ...
        'colormap(''spring''),', ...
        'case 3,', ...
        'colormap(''summer''),', ...
        'case 4,', ...
        'colormap(''autumn''),', ...
        'case 5,', ...
        'colormap(''winter''),', ...
        'end'];

l11=ui menu('parent', l1, ...
    'label', 'Surface', ...
    'tag', 'l11', ...
    'callback', [...
        '[x,y]=meshgrid(-8:0.5:8);', ...
        'r=sqrt(x.^2+y.^2)+eps;', ...
        'z=sin(r)./r;', ...
        'surf(x,y,z)', ...
        huidiao]);

l12=ui menu('parent', l1, ...
    'label', 'Mesh', ...
    'tag', 'l12', ...
    'callback', [...
        'mesh(peaks)', ...
        huidiao]);

l13=ui menu('parent', l1, ...
    'label', 'Membrane', ...
    'tag', 'l13', ...

```

```

        'callback',[...
            'mesh(membrane),',...
            huidiao]);
f1=uicontrol('parent',h0,...
    'units','points',...
    'listboxtop',0,...
    'position',[12 6 100 101],...
    'style','frame',...
    'tag','f1');
r1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[19.5 58.5 72.75 16.5],...
    'string','shading faceted',...
    'style','radiobutton',...
    'tag','r1',...
    'value',1,...
    'callback',[...
        'shading faceted,',...
        'set(r1,''value'',1);',...
        'set(r2,''value'',0);',...
        'set(r3,''value'',0);']);
r2=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[19.5 35.25 78.75 18.75],...
    'string','shading flat',...

```

```

    'style','radiobutton',...
    'tag','r2',...
    'value',0,...
    'callback',[...
        'shading flat',',...
        'set(r2,''value'',1);',',...
        'set(r1,''value'',0);',',...
        'set(r3,''value'',0);'];
r3=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[19.5 12.75 71.25 18.75],...
    'string','shading interp',...
    'style','radiobutton',...
    'tag','r3',...
    'value',0,...
    'callback',[...
        'shading interp',',...
        'set(r3,''value'',1);',',...
        'set(r1,''value'',0);',',...
        'set(r2,''value'',0);'];
t1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'fontsize',12,...
    'listboxtop',0,...
    'position',[14.25 75.75 90.75 22.5],...
    'string','平滑处理',...

```

```

        'style','text',...
        'tag','t1');
t2=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'fontsize',12,...
    'listboxtop',0,...
    'position',[117 69 72.75 17.5],...
    'string','设置色调',...
    'style','text',...
    'tag','t2');
p1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[116.25 39 72.75 20.25],...
    'string','Cool|Spring|Summer|Autumn|Winter',...
    'style','popupmenu',...
    'tag','p1',...
    'value',1,...
    'callback',[...
        'k=get(p1,''value'');',...
        'switch k,',...
        'case 1,',...
        'colormap(''cool''),',...
        'case 2,',...
        'colormap(''spring''),',...
        'case 3,',...
        'colormap(''summer''),',...

```

```

        'case 4,', ...
        'colormap(''autumn''),', ...
        'case 5,', ...
        'colormap(''winter''),', ...
        'end'];
b1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[12 243 72.75 30.75],...
    'string','关闭',...
    'tag','b1',...
    'callback','close');
b2=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[216.75 67.5 83.25 18.75],...
    'string','Colorbar',...
    'tag','b2',...
    'callback','colorbar');

```

### 实例57：图形效果

```

h0=figure('toolbar','none',...
    'position',[168 94.5 315 289.5],...
    'name','实例57');
h1=axes('parent',h0,...
    'position',[0.4 0.4 0.5 0.5],...
    'visible','off');

```

```

f1=uicontrol('parent',h0,...
    'style','frame',...
    'position',[15 10 80 70],...
    'string','dull',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','r1',...
    'value',1,...
    'callback',[...
        'set(r1,''value'',1);',...
        'set(r2,''value'',0);',...
        'set(r3,''value'',0);',...
        'material dull']);
r1=uicontrol('parent',h0,...
    'style','radiobutton',...
    'position',[19.5 58.5 72.75 16.5],...
    'string','dull',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','r1',...
    'value',1,...
    'callback',[...
        'set(r1,''value'',1);',...
        'set(r2,''value'',0);',...
        'set(r3,''value'',0);',...
        'material dull']);
r2=uicontrol('parent',h0,...

```

```

    'style','radiobutton',...
    'position',[19.5 35.25 72.75 16.5],...
    'string','metal',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','r2',...
    'value',0,...
    'callback',[...
        'set(r2,''value'',1);',...
        'set(r1,''value'',0);',...
        'set(r3,''value'',0);',...
        'material metal'];
r3=uicontrol('parent',h0,...
    'style','radiobutton',...
    'position',[19.5 12.75 72.75 16.5],...
    'string','shiny',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','r3',...
    'value',0,...
    'callback',[...
        'set(r3,''value'',1);',...
        'set(r1,''value'',0);',...
        'set(r2,''value'',0);',...
        'material shiny'];
u1=uiMENU('parent',h0,...
    'label','绘图',...

```

```

'backgroundcolor',[0.753 0.753 0.753],...
'tag','u1',...
'callback',[...
    '[x,y]=meshgrid(-8:0.5:8);','...
    'r=sqrt(x.^2+y.^2)+eps;','...
    'z=sin(r)./r;','...
    'surf(x,y,z)','...
    'shading interp'];
b1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[19.5 150 60 20],...
    'string','light',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','b1',...
    'callback','camlight headlight');
b2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'position',[19.5 100 60 20],...
    'string','关闭',...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'tag','b2',...
    'callback','close');

```

### 实例58：可控制小球运动速度的用户界面

```
h0=figure('toolbar','none',...
```

```

    'position',[198 56 350 468],...
    'name','实例58');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
t=0:0.1:4*pi;
x=sin(t);
y=cos(t);
plot(x,y)
axis equal
axis off
h=line('color',[1 0 0],...
    'linestyle','.',...
    'xdata',0,...
    'ydata',1,...
    'markersize',20,...
    'erasemode','xor');
n=length(t);
i=1;
speed=0.01;
k=0;
blhuidiao=[...
    'k=0;',',',...
    'while 1,',',',...
    'set(h,''xdata'',x(i),''ydata'',y(i));,',',...
    'drawnow,',',',...
    'pause(speed),',',',...
    'i=i+1;',',',...
    'if i>n,',',',...

```

```

        'i=1;',',...
        'end,',',...
        'if k==1,',',...
        'break,',',...
        'end,',',...
        'end'];
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','开始',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 80 50 20],...
    'callback',blhuidiao);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','停止',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 80 50 20],...
    'callback','k=1;');
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 80 50 20],...

```

```

        'callback',[...
            'k=1;','...',...
            'close']);
s1=icontrol('parent',h0,...
    'units','points',...
    'tag','s1',...
    'style','slider',...
    'value',50*speed,...
    'max',1,...
    'min',0,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 115 190 20],...
    'callback',[...
        'm=get(s1, ''value'');','...',...
        'speed=m/50;']);
t1=icontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'fontsize',15,...
    'string','小球运动速度',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 135 190 20]);

```

#### 实例59：设置坐标轴纵横轴比

```

h0=figure('name','实例59');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');

```

```

ul=uimenu('parent',h0,...
    'label','绘图',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'tag','ul',...
    'callback',[...
        '[x,y]=meshgrid(-8:0.5:8);','...
        'r=sqrt(x.^2+y.^2)+eps;','...
        'z=sin(r)./r;','...
        'mesh(x,y,z),','...
        'shading interp,','...
        'axis normal']);
fl=uicontrol('parent',h0,...
    'units','points',...
    'listboxtop',0,...
    'position',[12 6 100 150],...
    'style','frame',...
    'tag','fl');
t1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[19.5 130 72.75 16.5],...
    'string','坐标纵横比',...
    'style','text',...
    'tag','t1');
r1=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...

```

```

'position',[19.5 110 72.75 16.5],...
'string','axis equal',...
'style','radiobutton',...
'tag','r1',...
'value',1,...
'callback',[...
    'set(r1,''value'',1);',...
    'set(r2,''value'',0);',...
    'set(r3,''value'',0);',...
    'set(r4,''value'',0);',...
    'set(r5,''value'',0);',...
    'axis equal'];
r2=uicontrol('parent',h0,...
    'units','points',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'listboxtop',0,...
    'position',[19.5 85 72.75 16.5],...
    'string','axis square',...
    'style','radiobutton',...
    'tag','r2',...
    'value',0,...
    'callback',[...
        'set(r2,''value'',1);',...
        'set(r1,''value'',0);',...
        'set(r3,''value'',0);',...
        'set(r4,''value'',0);',...
        'set(r5,''value'',0);',...
        'axis square'];
r3=uicontrol('parent',h0,...

```

```

'units','points',...
'backgroundcolor',[0.753 0.753 0.753],...
'listboxtop',0,...
'position',[19.5 60 72.75 16.5],...
'string','axis image',...
'style','radiobutton',...
'tag','r3',...
'value',0,...
'callback',[...
    'set(r3,''value'',1);',...
    'set(r2,''value'',0);',...
    'set(r1,''value'',0);',...
    'set(r4,''value'',0);',...
    'set(r5,''value'',0);',...
    'axis image'];
r4=uicontrol('parent',h0,...
'units','points',...
'backgroundcolor',[0.753 0.753 0.753],...
'listboxtop',0,...
'position',[19.5 35 72.75 16.5],...
'string','axie vis3d',...
'style','radiobutton',...
'tag','r4',...
'value',0,...
'callback',[...
    'set(r4,''value'',1);',...
    'set(r2,''value'',0);',...
    'set(r3,''value'',0);',...
    'set(r1,''value'',0);',...

```

```

        'set(r5, 'value', 0);, ', ...
        'axis vis3d'];
r5=uicontrol('parent', h0, ...
    'units', 'points', ...
    'backgroundcolor', [0.753 0.753 0.753], ...
    'listboxtop', 0, ...
    'position', [19.5 10 72.75 16.5], ...
    'string', 'axis auto', ...
    'style', 'radiobutton', ...
    'tag', 'r5', ...
    'value', 0, ...
    'callback', [...
        'set(r5, 'value', 1);, ', ...
        'set(r2, 'value', 0);, ', ...
        'set(r3, 'value', 0);, ', ...
        'set(r4, 'value', 0);, ', ...
        'set(r1, 'value', 0);, ', ...
        'axis auto']);
b1=uicontrol('parent', h0, ...
    'units', 'points', ...
    'backgroundcolor', [0.753 0.753 0.753], ...
    'listboxtop', 0, ...
    'position', [12 243 72.75 30.75], ...
    'string', '关闭', ...
    'tag', 'b1', ...
    'callback', 'close');
b2=uicontrol('parent', h0, ...
    'units', 'points', ...
    'backgroundcolor', [0.753 0.753 0.753], ...

```

```
'listboxtop',0,...  
'position',[216.75 67.5 83.25 18.75],...  
'string','Colorbar',...  
'tag','b2',...  
'callback','colorbar');
```

### 实例60：动态文本显示

```
h0=figure('toolbar','none',...  
    'position',[198 56 350 468],...  
    'name','实例60');  
h1=axes('parent',h0,...  
    'position',[0.25 0.45 0.5 0.5],...  
    'visible','off');  
str1='当前阻尼比=';  
z=0.52;  
t=0:0.1:10;  
y=step(1,[1 2*z 1],t);  
hline=plot(t,y);  
grid on  
r1=uicontrol('parent',h0,...  
    'units','points',...  
    'tag','r1',...  
    'style','radio',...  
    'string','grid on',...  
    'position',[30 120 60 20],...  
    'backgroundcolor',[0.75 0.75 0.75],...  
    'value',1,...  
    'callback',[...  
        'grid on','...]
```

```

        'set(r1, 'value', 1);, ', ...
        'set(r2, 'value', 0)'];
r2=icontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'r2', ...
    'style', 'radio', ...
    'string', 'grid on', ...
    'position', [30 95 60 20], ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'value', 0, ...
    'callback', [...
        'grid off, ', ...
        'set(r2, 'value', 1);, ', ...
        'set(r1, 'value', 0)'];
s1=icontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 's1', ...
    'style', 'slider', ...
    'value', z, ...
    'position', [100 95 150 20], ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'max', 1, ...
    'min', 0, ...
    'callback', [...
        'z=get(s1, 'value');, ', ...
        'set(t1, 'string', [str1, sprintf('%1.4g\\', z)]);, ', ...
        'delete(hline), ', ...
        'y=step(1, [1 2*z 1], t);, ', ...
        'hline=plot(t, y);, ', ...

```

```

        'if get(r1, 'value')==1, ', ...
        'grid on, ', ...
        'end, ', ...
        'if get(r2, 'value')==1, ', ...
        'grid off, ', ...
        'end'];
t1=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 't1', ...
    'style', 'text', ...
    'string', [str1, sprintf('%1.4g\\', z)], ...
    'position', [100 120 150 20], ...
    'backgroundcolor', [0.75 0.75 0.75]);
b1=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b1', ...
    'style', 'pushbutton', ...
    'string', '关闭', ...
    'position', [80 50 80 30], ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'fontsize', 15, ...
    'callback', 'close');

```

### 实例61: 浏览流体数据

```

h0=figure('toolbar', 'none', ...
    'position', [198 56 450 468], ...
    'name', '实例61');
h1=axes('parent', h0, ...
    'position', [0.3 0.45 0.5 0.5], ...

```

```

        'visible','off');
[x,y,z,v]=flow;
xmin=min(x(:));
ymin=min(y(:));
zmin=min(z(:));
xmax=max(x(:));
ymax=max(y(:));
zmax=max(z(:));
u1=ui menu('parent',h0,...
    'tag','u1',...
    'label','绘图',...
    'background',[0.75 0.75 0.75]);
u11=ui menu('parent',u1,...
    'tag','u11',...
    'label','绕X轴旋转-45度',...
    'background',[0.75 0.75 0.75],...
    'callback',[...
        'cla',...

'hslice=surf(linspace(xmin,xmax,100),linspace(ymin,ymax,100),zeros(100));',...
    'rotate(hslice,[-1,0,0],-45)',...
    'xd=get(hslice,''xdata'');',...
    'yd=get(hslice,''ydata'');',...
    'zd=get(hslice,''zdata'');']);
u12=ui menu('parent',u1,...
    'tag','u12',...
    'label','绕Y轴旋转-45度',...
    'background',[0.75 0.75 0.75],...
    'callback',[...

```

```
'cla','...'
```

```
'hslice=surf(linspace(xmin,xmax,100),linspace(ymin,ymax,100),zeros(100));','...'
```

```
'rotate(hslice,[0,-1,0],-45),'...'
```

```
'xd=get(hslice,''xdata'');','...'
```

```
'yd=get(hslice,''ydata'');','...'
```

```
'zd=get(hslice,''zdata'');']];
```

```
b1=uicontrol('parent',h0,...
```

```
'style','pushbutton',...
```

```
'units','points',...
```

```
'tag','b1',...
```

```
'backgroundcolor',[0.75 0.75 0.75],...
```

```
'string','设置颜色',...
```

```
'position',[50 120 60 25],...
```

```
'callback',[...]
```

```
'delete(hslice),'...'
```

```
'h=slice(x,y,z,v,xd,yd,zd);','...'
```

```
'set(h,''facecolor'',''interp'',''edgecolor'',''none'',''diffusestrength',0.8)');
```

```
b2=uicontrol('parent',h0,...
```

```
'style','pushbutton',...
```

```
'units','points',...
```

```
'tag','b2',...
```

```
'backgroundcolor',[0.75 0.75 0.75],...
```

```
'string','添加切片1',...
```

```
'position',[240 120 60 25],...
```

```
'callback',[...]
```

```
'hold on','...'
```

```

        'hx=slice(x,y,z,v,xmax, [], []);', ...

'set(hx, ''facecolor'', ''interp'', ''edgecolor'', ''none'')');
b3=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'units', 'points', ...
    'tag', 'b3', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'string', '添加切片2', ...
    'position', [240 70 60 20], ...
    'callback', [...
        'hold on,', ...
        'hy=slice(x,y,z,v,ymax, [], []);', ...

'set(hy, ''facecolor'', ''interp'', ''edgecolor'', ''none'')');
b4=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'units', 'points', ...
    'tag', 'b4', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'string', '添加切片3', ...
    'position', [240 20 60 20], ...
    'callback', [...
        'hold on,', ...
        'hz=slice(x,y,z,v,zmax-1, [], []);', ...

'set(hz, ''facecolor'', ''interp'', ''edgecolor'', ''none'')');
b5=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...

```

```

    'units', 'points', ...
    'tag', 'b5', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'string', '灯光效果', ...
    'position', [50 70 60 20], ...
    'callback', [...
        'daspect([1 1 1]),', ...
        'axis tight,', ...
        'box on,', ...
        'view(-38.5,16),', ...
        'camzoom(1.4),', ...
        'camproj perspective,', ...
        'lightangle(-45,45)'];
b6=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b6',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','colorbar',...
    'position',[50 20 60 20],...
    'callback','colorbar(''horiz'')');
b7=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b7',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','关闭',...
    'fontsize',14,...
    'position',[145 75 60 20],...

```

```
'callback','close');
```

### 实例61: 浏览流体数据

```
h0=figure('toolbar','none',...
    'position',[198 56 450 468],...
    'name','实例61');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
[x,y,z,v]=flow;
xmin=min(x(:));
ymin=min(y(:));
zmin=min(z(:));
xmax=max(x(:));
ymax=max(y(:));
zmax=max(z(:));
u1=uimenu('parent',h0,...
    'tag','u1',...
    'label','绘图',...
    'background',[0.75 0.75 0.75]);
u11=uimenu('parent',u1,...
    'tag','u11',...
    'label','绕X轴旋转-45度',...
    'background',[0.75 0.75 0.75],...
    'callback',[...
        'cla',...
        'hslice=surf(linspace(xmin,xmax,100),linspace(ymin,ymax,100),zeros(100));','...
        'rotate(hslice,[-1,0,0],-45),',...

```

```

        'xd=get(hslice, 'xdata');', ...
        'yd=get(hslice, 'ydata');', ...
        'zd=get(hslice, 'zdata');'];
u12=uimenu('parent', u1, ...
    'tag', 'u12', ...
    'label', '绕Y轴旋转-45度', ...
    'background', [0.75 0.75 0.75], ...
    'callback', [...
        'cla',', ...

'hslice=surf(linspace(xmin, xmax, 100), linspace(ymin, ymax, 100), zeros(100));', ...
    'rotate(hslice, [0, -1, 0], -45)',', ...
    'xd=get(hslice, 'xdata');', ...
    'yd=get(hslice, 'ydata');', ...
    'zd=get(hslice, 'zdata');'];
b1=uicontrol('parent', h0, ...
    'style', 'pushbutton', ...
    'units', 'points', ...
    'tag', 'b1', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'string', '设置颜色', ...
    'position', [50 120 60 25], ...
    'callback', [...
        'delete(hslice),', ...
        'h=slice(x, y, z, v, xd, yd, zd);', ...

'set(h, 'facecolor', 'interp', 'edgecolor', 'none', 'diffusestrength', 0.8)');
b2=uicontrol('parent', h0, ...

```

```

    'style','pushbutton',...
    'units','points',...
    'tag','b2',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','添加切片1',...
    'position',[240 120 60 25],...
    'callback',[...
        'hold on,',...
        'hx=slice(x,y,z,v,xmax, [], []);',...

'set(hx,'facecolor','interp','edgecolor','none')'];
b3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','添加切片2',...
    'position',[240 70 60 20],...
    'callback',[...
        'hold on,',...
        'hy=slice(x,y,z,v,ymax, [], []);',...

'set(hy,'facecolor','interp','edgecolor','none')'];
b4=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b4',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','添加切片3',...

```

```

'position',[240 20 60 20],...
'callback',[...
    'hold on,',...
    'hz=slice(x,y,z,v,zmax-1,[],[]);',...

'set(hz,'facecolor','interp','edgecolor','none')'];
b5=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b5',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','灯光效果',...
    'position',[50 70 60 20],...
    'callback',[...
        'daspect([1 1 1]),',...
        'axis tight,',...
        'box on,',...
        'view(-38.5,16),',...
        'camzoom(1.4),',...
        'camproj perspective,',...
        'lightangle(-45,45)'];
b6=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b6',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','colorbar',...
    'position',[50 20 60 20],...
    'callback','colorbar(''horiz'')');

```

```
b7=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b7',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','关闭',...
    'fontsize',14,...
    'position',[145 75 60 20],...
    'callback','close');
```

## 实例62：简单计算器

```
h0=figure('toolbar','none',...
    'position',[200 60 220 240],...
    'name','实例62');
b0=uicontrol('parent',h0,...
    'units','points',...
    'tag','b0',...
    'style','pushbutton',...
    'string','0',...
    'fontsize',12,...
    'position',[5 15 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'&i==0,',...
        'errordlg(''数字首位不能为0''),',...
        'else,',...
        'k=[k,''0''];',...
        'if k=='00'',',...
        'k=''0'','',',...
        'end,',...
        'set(e1,''string'',k);',...
        'end']);
b15=uicontrol('parent',h0,...
    'units','points',...
    'tag','b15',...
    'style','pushbutton',...
    'string','=',...
    'fontsize',12,...
    'position',[45 15 35 20],...
```

```

'backgroundcolor',[0.75 0.75 0.75],...
'callback',[...
    'k=get(e1, ''string'');',...
    'if g=='+'',',...
    'm=m+str2num(k);',...
    'end,',...
    'if g=='-'',',...
    'm=m-str2num(k);',...
    'end,',...
    'if g=='*',',...
    'm=m*str2num(k);',...
    'end,',...
    'if g=='/',',...
    'if k=='0'',',...
    'errordlg(''除数不能为0'');',...
    'end,',...
    'm=m/str2num(k);',...
    'end,',...
    'set(e1, ''string'', num2str(m));',...
    'i=i+1;'];
b11=icontrol('parent',h0,...
    'units','points',...
    'tag','b11',...
    'style','pushbutton',...
    'string','+',...
    'fontsize',12,...
    'position',[85 15 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...

```

```

    'i=i+1;',',...
    'if i==1,',',...
    'm=str2num(k);',',...
    'set(e1,'string','0');',',...
    'end,',',...
    'if i>1,',',...
    'k=get(e1,'string');',',...
    'if g=='+';',',...
    'm=m+str2num(k);',',...
    'end,',',...
    'if g=='-';',',...
    'm=m-str2num(k);',',...
    'end,',',...
    'if g=='*';',',...
    'm=m*str2num(k);',',...
    'end,',',...
    'if g=='/';',',...
    'if k=='0';',',...
    'errorlg('除数不能为0');',',...
    'end,',',...
    'm=m/str2num(k);',',...
    'end,',',...
    'set(e1,'string',num2str(m));',',...
    'i=1;',',...
    'end,',',...
    'k='0';',',...
    'g=='+';']);
b16=uicontrol('parent',h0,...
    'units','points',...

```

```

    'tag','b16',...
    'style','pushbutton',...
    'string','关闭',...
    'fontsize',12,...
    'position',[125 15 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback','close');
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','1',...
    'fontsize',12,...
    'position',[5 45 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...
        'k='''';',',...
        'end,',',...
        'k=[k, ''1'''];',',...
        'set(e1, ''string'', k);'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','2',...
    'fontsize',12,...
    'position',[45 45 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```

        'callback', [...
            'if k=='0'',', ...
            'k=''';','', ...
            'end,',', ...
            'k=[k, ''2'''];','', ...
            'set(e1, ''string'', k);'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','3',...
    'fontsize',12,...
    'position',[85 45 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback', [...
        'if k=='0'',', ...
        'k=''';','', ...
        'end,',', ...
        'k=[k, ''3'''];','', ...
        'set(e1, ''string'', k);'];
b14=uicontrol('parent',h0,...
    'units','points',...
    'tag','b14',...
    'style','pushbutton',...
    'string','/',...
    'fontsize',12,...
    'position',[125 45 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback', [...

```

```

'i=i+1;',',...
'if i==1;',',...
'm=str2num(k);;',',...
'set(e1,'string','0');;',',...
'end;',',...
'if i>1;',',...
'k=get(e1,'string');;',',...
'if k=='0';;',',...
'errorlg('除数不能为0');;',',...
'end;',',...
'if ~(k=='0');;',',...
'if g=='+';',',...
'm=m+str2num(k);;',',...
'end;',',...
'if g=='-';;',',...
'm=m-str2num(k);;',',...
'end;',',...
'if g=='*';;',',...
'm=m*str2num(k);;',',...
'end;',',...
'if g=='/';;',',...
'm=m/str2num(k);;',',...
'end;',',...
'set(e1,'string',num2str(m));;',',...
'end;',',...
'i=1;',',...
'end;',',...
'k='0';;',',...
'g=''/';']');

```

```

b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','4',...
    'fontsize',12,...
    'position',[5 75 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...
        'k=''';','',...
        'end,',',...
        'k=[k, ''4'''];','',...
        'set(e1, ''string'', k);']]);

```

```

b5=uicontrol('parent',h0,...
    'units','points',...
    'tag','b5',...
    'style','pushbutton',...
    'string','5',...
    'fontsize',12,...
    'position',[45 75 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...
        'k=''';','',...
        'end,',',...
        'k=[k, ''5'''];','',...
        'set(e1, ''string'', k);']]);

```

```

b6=uicontrol('parent',h0,...

```

```

    'units','points',...
    'tag','b6',...
    'style','pushbutton',...
    'string','6',...
    'fontsize',12,...
    'position',[85 75 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...
        'k=''';','',...
        'end,',',...
        'k=[k, ''6''];','',...
        'set(e1, ''string'', k);']];
b13=uicontrol('parent',h0,...
    'units','points',...
    'tag','b13',...
    'style','pushbutton',...
    'string','*',...
    'fontsize',12,...
    'position',[125 75 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'i=i+1;',',...
        'if i==1,',',...
        'm=str2num(k);','',...
        'set(e1, ''string'', ''0'');','',...
        'end,',',...
        'if i>1,',',...
        'k=get(e1, ''string'');','',...

```

```

        'if g=='+'',',...
        'm=m+str2num(k);',...
        'end,',...
        'if g=='-'',',...
        'm=m-str2num(k);',...
        'end,',...
        'if g=='*''',',...
        'm=m*str2num(k);',...
        'end,',...
        'if g=='/'',',...
        'if k=='0''',',...
        'errorlg('除数不能为0'');',...
        'end,',...
        'm=m/str2num(k);',...
        'end,',...
        'set(e1,'string',num2str(m));',...
        'i=1;',',...
        'end,',...
        'k='0'';',',...
        'g='*'';']);
b7=uicontrol('parent',h0,...
    'units','points',...
    'tag','b7',...
    'style','pushbutton',...
    'string','7',...
    'fontsize',12,...
    'position',[5 105 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...

```

```

        'if k=='0'',',...
        'k=''';','',...
        'end,',',...
        'k=[k, ''7'''];','',...
        'set(e1, ''string'', k);');
b8=uicontrol('parent',h0,...
    'units','points',...
    'tag','b8',...
    'style','pushbutton',...
    'string','8',...
    'fontsize',12,...
    'position',[45 105 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...
        'k=''';','',...
        'end,',',...
        'k=[k, ''8'''];','',...
        'set(e1, ''string'', k);');
b9=uicontrol('parent',h0,...
    'units','points',...
    'tag','b9',...
    'style','pushbutton',...
    'string','9',...
    'fontsize',12,...
    'position',[85 105 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'if k=='0'',',...

```

```

        'k=''';','...
        'end','...
        'k=[k, ''9''];','...
        'set(e1, ''string'', k);');
b12=icontrol('parent',h0,...
    'units','points',...
    'tag','b12',...
    'style','pushbutton',...
    'string','-','...
    'fontsize',12,...
    'position',[125 105 35 20],...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'i=i+1;','...
        'if i==1','...
        'm=str2num(k);','...
        'set(e1, ''string'', ''0'');','...
        'end','...
        'if i>1','...
        'k=get(e1, ''string'');','...
        'if g=='+'','...
        'm=m+str2num(k);','...
        'end','...
        'if g=='-'','...
        'm=m-str2num(k);','...
        'end','...
        'if g=='*''','...
        'm=m*str2num(k);','...
        'end','...

```

```

        'if g=='/'',',...
        'if k=='0'',',...
        'errorlg('除数不能为0');',...
        'end,',...
        'm=m/str2num(k);',...
        'end,',...
        'set(e1,'string',num2str(m));',...
        'i=1;',',...
        'end,',',...
        'k=='0'';',',...
        'g='-'';']];
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'horizontalalignment','right',...
    'fontsize',12,...
    'string','0',...
    'position',[45 135 115 20],...
    'backgroundcolor',[1 1 1]);
k=get(e1,'string');
i=0;
m=0;

```

### 实例63：字母统计

```

h0=figure('toolbar','none',...
    'position',[200 150 350 200],...
    'name','实例63');
choose=1;

```

```

e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'backgroundcolor',[1 1 1],...
    'min',0,...
    'max',2,...
    'fontsize',12,...
    'horizontalalignment','left',...
    'position',[20 20 120 100]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','请输入字母 (大小写皆可) : ',...
    'fontsize',10,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 125 120 15]);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','开始统计',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[180 100 60 20],...
    'callback',[...
        's=get(e1,''string'');',...
        'n=length(s);',...
        'jb=0;',...

```

```

'j1=0;',',...
'for i=1:n;',',...
'if (abs(s(i))>64)&(abs(s(i))<91),',',...
'jb=jb+1;',',...
'end,',',...
'if (abs(s(i))>96)&(abs(s(i))<123),',',...
'j1=j1+1;',',...
'end,',',...
'end,',',...
'j=jb+j1;',',...
'if choose==1,',',...

```

```

'msgbox([''共有字母'',num2str(j),''个! ''',''其中大写字
母'',num2str(jb),''个! '''],''统计结果''),',',...
'end,',',...
'if choose==2,',',...

```

```

'msgbox([''共有字母'',num2str(j),''个! ''',''其中小写字
母'',num2str(j1),''个! '''],''统计结果'');',',...
'end'];

```

```

u1=uimenu('parent',h0,...
'label','字母分类',...
'backgroundcolor',[0.75 0.75 0.75],...
'tag','u1');
u11=uimenu('parent',u1,...
'label','大写字母',...
'backgroundcolor',[0.75 0.75 0.75],...
'tag','u11',...
'checked','on',...

```

```

    'callback',[...
        'set(u11,'checked','on');','...
        'set(u12,'checked','off');','...
        'choose=1;'];
u12=uimenu('parent',u1,...
    'label','小写字母',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'tag','u12',...
    'callback',[...
        'set(u12,'checked','on');','...
        'set(u11,'checked','off');','...
        'choose=2;']);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','清除',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[180 60 60 20],...
    'callback','set(e1,'string','')');
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[180 20 60 20],...
    'callback','close');

```

#### 实例64：图形的几何操作

```
h0=figure('toolbar','none',...
    'position',[200 150 300 150],...
    'name','实例64');
now=fix(clock);
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'backgroundcolor',[1 1 1],...
    'horizontal','right',...
    'fontsize',12,...
    'position',[20 80 30 20],...
    'string',num2str(now(1)));
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','年',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'fontsize',14,...
    'position',[55 80 20 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'backgroundcolor',[1 1 1],...
    'horizontal','right',...
    'fontsize',12,...
```

```

        'position',[80 80 30 20],...
        'string',num2str(now(2));
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','月',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'fontsize',14,...
    'position',[115 80 20 20]);
e3=uicontrol('parent',h0,...
    'units','points',...
    'tag','e3',...
    'style','edit',...
    'horizontal','right',...
    'backgroundcolor',[1 1 1],...
    'fontsize',12,...
    'position',[140 80 30 20],...
    'string',num2str(now(3));
t3=uicontrol('parent',h0,...
    'units','points',...
    'tag','t3',...
    'style','text',...
    'string','日',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'fontsize',14,...
    'position',[175 80 20 20]);
e4=uicontrol('parent',h0,...
    'units','points',...

```

```

    'tag', 'e4', ...
    'style', 'edit', ...
    'backgroundcolor', [1 1 1], ...
    'horizontal', 'right', ...
    'fontsize', 12, ...
    'position', [20 30 100 20], ...

    'string', [num2str(now(4)), ': ', num2str(now(5)), ': ', num2str(now(6))]);
    b1=uicontrol('parent', h0, ...
        'units', 'points', ...
        'tag', 'b1', ...
        'style', 'pushbutton', ...
        'backgroundcolor', [0.75 0.75 0.75], ...
        'string', '关闭', ...
        'fontsize', 12, ...
        'position', [150 30 50 20], ...
        'callback', [...
            'k=1;', ...
            'close']);
    k=0;
    while find(get(0, 'children'))==h0
        now1=fix(clock)
        set(e1, 'string', num2str(now1(1)));
        set(e2, 'string', num2str(now1(2)));
        set(e3, 'string', num2str(now1(3)));

        set(e4, 'string', [num2str(now1(4)), ': ', num2str(now1(5)), ': ', num2str(now1(6))]);
        pause(1)
        if k==1

```

```
        break
    end
end
```

### 实例65: 时间计算器

```
h0=figure('toolbar','none',...
    'position',[200 150 300 250],...
    'name','实例65');
huidiao=[...
    'k=0;',',',...
    'fyear=str2num(get(e1,''string''));',',',...
    'fmonth=str2num(get(e2,''string''));',',',...
    'fday=str2num(get(e3,''string''));',',',...
    'syear=str2num(get(e4,''string''));',',',...
    'smonth=str2num(get(e5,''string''));',',',...
    'sday=str2num(get(e6,''string''));',',',...
    'month=[0 31 28 31 30 31 30 31 31 30 31 30 31];',',',...
    'k=fix(fyear/4);',',',...
    'if rem(fyear,4)==0,',',',...
    'month(3)=29;',',',...
    'else,',',',...
    'k=k+1;',',',...
    'month(3)=28;',',',...
    'end,',',',...
    'sum=0;',',',...
    'for i=1:fmonth,',',',...
    'sum=sum+month(i);',',',...
    'end,',',',...
    'fdday=fyear*365+sum+fday+k;',',',...

```

```

    'l=fix(syear/4);',...
    'if rem(syear,4)==0;',...
    'month(3)=29;',...
    'else;',...
    'l=l+1;',...
    'month(3)=28;',...
    'end;',...
    'ssum=0;',...
    'for i=1:smonth;',...
    'ssum=ssum+month(i);',...
    'end;',...
    'sdday=syear*365+ssum+sday+1;',...
    'dday=abs(fdday-sdday);',...
    'set(e7, ''string'', [num2str(dday), ''天'']);'];

t0=uicontrol('parent',h0,...
    'units','points',...
    'tag','t0',...
    'style','text',...
    'string','开始日期:',...
    'horizontalalignment','right',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[10 160 80 20]);

t8=uicontrol('parent',h0,...
    'units','points',...
    'tag','t8',...
    'style','text',...
    'string','结束日期:',...
    'horizontalalignment','right',...

```

```

        'fontsize',15,...
        'backgroundcolor',[0.75 0.75 0.75],...
        'position',[115 160 80 20]);
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 130 50 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','年',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[75 130 20 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 100 50 20]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...

```

```

    'style','text',...
    'string','月',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[75 100 20 20]);
e3=uicontrol('parent',h0,...
    'units','points',...
    'tag','e3',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 70 50 20]);
t3=uicontrol('parent',h0,...
    'units','points',...
    'tag','t3',...
    'style','text',...
    'string','日',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[75 70 20 20]);
e4=uicontrol('parent',h0,...
    'units','points',...
    'tag','e4',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[120 130 50 20]);

```

```

t4=uicontrol('parent',h0,...
    'units','points',...
    'tag','t4',...
    'style','text',...
    'string','年',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[175 130 20 20]);
e5=uicontrol('parent',h0,...
    'units','points',...
    'tag','e5',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[120 100 50 20]);
t5=uicontrol('parent',h0,...
    'units','points',...
    'tag','t5',...
    'style','text',...
    'string','月',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[175 100 20 20]);
e6=uicontrol('parent',h0,...
    'units','points',...
    'tag','e6',...
    'style','edit',...

```

```

        'horizontalalignment','right',...
        'backgroundcolor',[1 1 1],...
        'position',[120 70 50 20]);
t6=uicontrol('parent',h0,...
    'units','points',...
    'tag','t6',...
    'style','text',...
    'string','日',...
    'horizontalalignment','left',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[175 70 20 20]);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','计算日期',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 40 50 20],...
    'callback',huidiao);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 10 50 20],...
    'callback','close');
e7=uicontrol('parent',h0,...

```

```

    'units','points',...
    'tag','e7',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[120 10 80 20]);
t7=uicontrol('parent',h0,...
    'units','points',...
    'tag','t7',...
    'style','text',...
    'string','两个日期相差: ',...
    'horizontalalignment','right',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 30 110 20]);

```

### 实例66: 数字操作

```

h0=figure('toolbar','none',...
    'position',[200 150 350 200],...
    'name','实例66');
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'backgroundcolor',[1 1 1],...
    'position',[20 90 80 20],...
    'fontsize',12,...
    'horizontalalignment','right');
e2=uicontrol('parent',h0,...

```

```

    'units','points',...
    'tag','e2',...
    'style','edit',...
    'backgroundcolor',[1 1 1],...
    'position',[160 90 80 20],...
    'fontsize',12,...
    'horizontalalignment','right');
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','初始数值 (十进制) : ',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[15 110 90 20],...
    'fontsize',12,...
    'horizontalalignment','left');
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','转换结果: ',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[155 110 90 20],...
    'fontsize',12,...
    'horizontalalignment','left');
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...

```

```

    'string', '二进制', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [30 50 50 20], ...
    'callback', [...
        'k=get(e1, ''string'');', ...
        'k2=str2num(k);', ...
        'bk=dec2bin(k2);', ...
        'set(e2, ''string'', num2str(bk));'];
b2=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b2', ...
    'style', 'pushbutton', ...
    'string', '清除', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [170 50 50 20], ...
    'callback', [...
        'set(e1, ''string'', '''');', ...
        'set(e2, ''string'', '''');'];
b3=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b3', ...
    'style', 'pushbutton', ...
    'string', '十六进制', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [30 15 50 20], ...
    'callback', [...
        'k=get(e1, ''string'');', ...
        'k3=str2num(k);', ...
        'hk=dec2hex(k3);', ...

```

```

        'set(e2, ''string'', num2str(hk));']);
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 15 50 20],...
    'callback','close');

```

### 实例67：图像的块操作

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例67');
h1=axes('parent',h0,...
    'position',[0.2 0.45 0.6 0.5],...
    'visible','off');
I=imread('tire.tif');
imshow(I)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','边沿操作',...
    'position',[30 100 50 20],...
    'callback',[...
        'cla','...',...
        'I=imread(''tire.tif'');','...',...

```

```

        'f=inline(''max(x(:))'');, ', ...
        'I2=nlfilter(I, [2 2], f);, ', ...
        'imshow(I2)');
b2=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b2', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'style', 'pushbutton', ...
    'string', '显示块操作', ...
    'position', [100 100 50 20], ...
    'callback', [...
        'cla, ', ...
        'I=imread(''tire.tif'');, ', ...
        'f=inline(''uint8(round(mean2(x)*ones(size(x))))'');, ', ...
        'I2=blkproc(I, [6 6], f);, ', ...
        'imshow(I2)']);
b3=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b3', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'style', 'pushbutton', ...
    'string', '交叠块操作', ...
    'position', [170 100 50 20], ...
    'callback', [...
        'cla, ', ...
        'I=imread(''tire.tif'');, ', ...
        'f=inline(''uint8(round(mean2(x)*ones(size(x))))'');, ', ...
        'I2=blkproc(I, [6 6], [3 3], f);, ', ...
        'imshow(I2)']);

```

```

b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','关闭',...
    'fontsize',14,...
    'position',[90 50 70 30],...
    'callback','close');

```

### 实例68：图形的过滤操作

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','过滤操作');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
I=imread('blood1.tif');
imshow(I)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','均平过滤',...
    'position',[50 120 50 20],...
    'callback',[...
        'cla,',...
        'I=imread(''blood1.tif'');',...

```

```

        'h=fspecial(''average'');, ', ...
        'I2=uint8(round(filter2(h,I)));, ', ...
        'imshow(I2)');
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','Sobel过滤',...
    'position',[150 120 50 20],...
    'callback',[...
        'cla,', ...
        'I=imread(''blood1.tif'');, ', ...
        'h=fspecial(''sobel'');, ', ...
        'I2=filter2(h,I);, ', ...
        'imshow(I2, [])');
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','关闭',...
    'position',[85 60 80 30],...
    'callback','close');

```

### 实例69：图像的频率操作

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','频率操作');

```

```

h1=axes('parent',h0,...
        'position',[0.3 0.45 0.5 0.5],...
        'visible','off');
b=remez(10,[0 0.4 0.6 1],[1 1 0 0]);
h=ftrans2(b);
[H,W]=freqz(b,1,64,'whole');
colormap(jet(64))
plot(W/pi-1,fftshift(abs(H)))
b1=uicontrol('parent',h0,...
            'units','points',...
            'tag','b1',...
            'backgroundcolor',[0.75 0.75 0.75],...
            'style','pushbutton',...
            'string','频率变换',...
            'position',[30 100 50 20],...
            'callback',[...
                'cla,',...
                'b=remez(10,[0 0.4 0.6 1],[1 1 0 0]);',...
                'h=ftrans2(b);',...
                '[H,W]=freqz(b,1,64,\'\'whole\'');',...
                'colormap(jet(64)),',...
                'freqz2(h,[32 32])\']');
b2=uicontrol('parent',h0,...
            'units','points',...
            'tag','b2',...
            'backgroundcolor',[0.75 0.75 0.75],...
            'style','pushbutton',...
            'string','频率采样一',...
            'position',[100 100 50 20],...

```

```

'callback',[...
    'cla','...',...
    'Hd=zeros(11,11);','...',...
    'Hd(4:8,4:8)=1;','...',...
    '[f1,f2]=freqspace(11,'meshgrid');','...',...
    'mesh(f1,f2,Hd)','...',...
    'axis([-1 1 -1 1 0 1.2]),','...',...
    'colormap(jet(64))'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','频率采样二',...
    'position',[170 100 50 20],...
    'callback',[...
        'cla','...',...
        'Hd=zeros(11,11);','...',...
        'Hd(4:8,4:8)=1;','...',...
        'H=fsamp2(Hd);','...',...
        'freqz2(h,[32 32]),','...',...
        'axis([-1 1 -1 1 0 1.2]),','...',...
        'colormap(jet(64))'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','关闭',...

```

```
'fontsize',15,...  
'position',[80 50 80 30],...  
'callback','close');
```

### 实例70: 函数变换

```
h0=figure('toolbar','none',...  
    'position',[198 56 350 468],...  
    'name','函数变换');  
h1=axes('parent',h0,...  
    'position',[0.25 0.45 0.5 0.5],...  
    'visible','off');  
I=imread('cameraman.tif');  
imshow(I)  
b1=icontrol('parent',h0,...  
    'units','points',...  
    'tag','b1',...  
    'backgroundcolor',[0.75 0.75 0.75],...  
    'style','pushbutton',...  
    'string','图像压缩',...  
    'position',[30 100 50 20],...  
    'callback',[...  
        'cla','...  
        'I=imread(''cameraman.tif'');','...  
        'I2=im2double(I);','...  
        'imshow(I2)'];  
b2=icontrol('parent',h0,...  
    'units','points',...  
    'tag','b2',...  
    'backgroundcolor',[0.75 0.75 0.75],...
```

```

'style','pushbutton',...
'string','图像解压',...
'position',[100 100 50 20],...
'callback',[...
    'cla,',...
    'I=imread(''cameraman.tif'');',...
    'I=im2double(I);',...
    'T=dctmtx(8);',...
    'B=blkproc(I,[8 8],'P1*x*P2',T,T')',...
    'mask=[1 1 1 1 0 0 0 0;',...
        '1 1 1 0 0 0 0 0;',...
        '1 1 0 0 0 0 0 0;',...
        '1 0 0 0 0 0 0 0;',...
        '0 0 0 0 0 0 0 0;',...
        '0 0 0 0 0 0 0 0;',...
        '0 0 0 0 0 0 0 0;',...
        '0 0 0 0 0 0 0 0];',...
    'B2=blkproc(B,[8 8],'P1.*x',mask);',...
    'I2=blkproc(B2,[8 8],'P1*x*P2',T',T);',...
    'imshow(I2)'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','线条解析',...
    'position',[170 100 50 20],...
    'callback',[...
        'cla,',...

```

```

        'I=imread(''cameraman.tif'');',...
        'BW=edge(I);',...
        'imshow(BW)'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','关闭',...
    'fontsize',15,...
    'position',[80 50 80 30],...
    'callback','close');

```

#### 实例71: RADON函数变换

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例71');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
P=phantom(256);
imshow(P)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','变换一',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 100 50 20],...

```

```

    'callback',[...
        'cla','...',...
        'k=1;','...',...
        'theta1=0:10:170;','...',...
        'R1=radon(P,theta1);','...',...
        'imagesc(R1)','...',...
        'colormap(hot)','...',...
        'colorbar']);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','变换二',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 100 50 20],...
    'callback',[...
        'cla','...',...
        'k=2;','...',...
        'theta2=0:5:175;','...',...
        'R2=radon(P,theta2);','...',...
        'imagesc(R2)','...',...
        'colormap(hot)','...',...
        'colorbar']);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','变换三',...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```

'position',[170 100 50 20],...
'callback',[...
    'cla,',...
    'k=3;',...
    'theta3=0:2:178;',...
    'R3=radon(P,theta3);',...
    'imagesc(R3)',...
    'colormap(hot)',...
    'colorbar'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','原始图像',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[50 50 70 30],...
    'callback',[...
        'cla,',...
        'if k==1,',...
        'I1=iradon(R1,10);',...
        'imshow(I1)',...
        'end,',...
        'if k==2,',...
        'I2=iradon(R2,5);',...
        'imshow(I2)',...
        'end,',...
        'if k==3,',...
        'I3=iradon(R3,2);',...
        'imshow(I3)',...

```

```
        'end'];  
b5=uicontrol('parent',h0,...  
    'units','points',...  
    'tag','b5',...  
    'style','pushbutton',...  
    'string','关闭',...  
    'backgroundcolor',[0.75 0.75 0.75],...  
    'position',[150 50 70 30],...  
    'callback','close');
```

## 实例72: 图像分析 (1)

```
h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例72');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
I=imread('rice.tif');
imshow(I)
k=0;
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','图像轮廓图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 100 60 20],...
    'callback',[...
        'cla;',...
        'k=1;',...
        'I=imread(''rice.tif'');',...
        'imcontour(I)'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','SOBEL边界图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 100 60 20],...
```

```

    'callback',[...
        'cla','...',...
        'k=2;','...',...
        'I=imread(''rice.tif'');','...',...
        'BW=edge(I,''sobel'');','...',...
        'imshow(BW)'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','CANNY边界图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[180 100 60 20],...
    'callback',[...
        'cla','...',...
        'k=3;','...',...
        'I=imread(''rice.tif'');','...',...
        'BW=edge(I,''canny'');','...',...
        'imshow(BW)'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','灰度调整',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 50 60 20],...
    'callback',[...
        'cla','...',...
        'k=4;','...',...

```

```

        'I=imread(''rice.tif'');',...
        'J=imadjust(I,[0.15 0.9],[0 1]);',...
        'imshow(J,64)'];
b5=uicontrol('parent',h0,...
    'units','points',...
    'tag','b5',...
    'style','pushbutton',...
    'string','图像柱状图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[180 50 60 20],...
    'callback',[...
        'if k==0,',...
        'figure,',...
        'imhist(I,64)',...
        'end,',...
        'if k==1,',...
        'imhist(I,64)',...
        'end,',...
        'if k==2,',...
        'imhist(BW,64)',...
        'end,',...
        'if k==3,',...
        'imhist(BW,64)',...
        'end,',...
        'if k==4,',...
        'imhist(J)',...
        'end'];
b6=uicontrol('parent',h0,...
    'units','points',...

```

```

'tag','b6',...
'style','pushbutton',...
'string','关闭',...
'backgroundcolor',[0.75 0.75 0.75],...
'position',[100 50 60 20],...
'callback','close');

```

### 实例73: 过滤图像

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例73');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
I=imread('eight.tif');
imshow(I)
u1=uimenu('parent',h0,...
    'tag','u1',...
    'label','添加噪声',...
    'backgroundcolor',[0.75 0.75 0.75]);
u11=uimenu('parent',u1,...
    'tag','u11',...
    'label','SALT&PEPPER噪声',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'set(u11,''checked'',''on'');','...
        'set(u12,''checked'',''off'');','...
        'cla','...
        'I=imnoise(I,''salt & pepper'',0.02);','...

```

```

        'imshow(I)');
u12=uimenu('parent',u1,...
    'tag','u12',...
    'label','GAUSSIAN噪声',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'callback',[...
        'set(u12,''checked'',''on'');','...',...
        'set(u11,''checked'',''off'');','...',...
        'cla','...',...
        'I=imnoise(I,''gaussian'',0,0.005);','...',...
        'imshow(I)']);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','均平过滤',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 100 50 20],...
    'callback',[...
        'cla','...',...
        'J=filter2(fspecial(''average'',3),I)/255;','...',...
        'imshow(J)']);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','中值过滤',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 100 50 20],...

```

```

    'callback',[...
        'cla','...',...
        'J=medfilt2(I,[3 3]);','...',...
        'imshow(J)');
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','自适应过滤',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 100 50 20],...
    'callback',[...
        'cla','...',...
        'J=wiener2(I,[5 5]);','...',...
        'imshow(J)');
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[90 50 70 30],...
    'callback','close');

```

#### 实例74：图像的区域处理

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例74');

```

```

h1=axes('parent',h0,...
        'position',[0.25 0.45 0.5 0.5],...
        'visible','off');
I=imread('trees.tif');
imshow(I)
b1=uicontrol('parent',h0,...
            'units','points',...
            'tag','b1',...
            'style','pushbutton',...
            'string','区域过滤一',...
            'backgroundcolor',[0.75 0.75 0.75],...
            'position',[30 100 50 20],...
            'callback',[...
                'cla,',...
                'I=imread(''trees.tif'');',...
                'imshow(I),',...
                'BW=roipoly;',...
                'h=fspecial(''unsharp'');',...
                'I2=roifilt2(h,I,BW);',...
                'imshow(I2)']);
b2=uicontrol('parent',h0,...
            'units','points',...
            'tag','b2',...
            'style','pushbutton',...
            'string','区域过滤二',...
            'backgroundcolor',[0.75 0.75 0.75],...
            'position',[100 100 50 20],...
            'callback',[...
                'cla,',...

```

```

        'BW=imread(''text.tif'');',...
        'f=inline(''imadjust(x, [], [], 0.01)'');',...
        'I2=roifilt2(I, BW, f);',...
        'imshow(I2)');
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','区域填充',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 100 50 20],...
    'callback',[...
        'cla;',...
        'load trees;',...
        'I=ind2gray(X,map);',...
        'imshow(I);',...
        'I2=roifill;',...
        'imshow(I2)']);
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[90 50 70 30],...
    'callback','close');

```

### 实例75：图像的颜色处置

```
h0=figure('toolbar','none',...
```

```

    'position',[198 56 350 468],...
    'name','实例75');
h1=axes('parent',h0,...
    'position',[0.12 0.45 0.75 0.5],...
    'visible','off');
I=imread('flowers.tif');
imshow(I)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','减少颜色',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 100 50 20],...
    'callback',[...
        'cla,',...
        '[X,map]=imread(''flowers.tif'');',...
        '[Y,map2]=imapprox(X,map,64);',...
        'image(Y),',...
        'colormap(map2)'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','颜色抖动',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 100 50 20],...
    'callback',[...
        'cla,',...

```

```

        'I=imread(''flowers.tif'');','...
        '[X,map]=rgb2ind(I,128,''nodither'');','...
        'imshow(X)');
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','颜色转换一',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 100 50 20],...
    'callback',[...
        'cla','...
        'I=imread(''flowers.tif'');','...
        'Y=rgb2ntsc(I);','...
        'J=Y(:, :, 1);','...
        'imshow(J)']);
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 50 50 20],...
    'callback','close');
b5=uicontrol('parent',h0,...
    'units','points',...
    'tag','b5',...
    'style','pushbutton',...
    'string','颜色转换三',...

```

```

'backgroundcolor',[0.75 0.75 0.75],...
'position',[100 50 50 20],...
'callback',[...
    'cla,',...
    'I=imread(''flowers.tif'');',...
    'J=rgb2ycbcr(I);',...
    'imshow(J)'];
b6=uicontrol('parent',h0,...
    'units','points',...
    'tag','b6',...
    'style','pushbutton',...
    'string','颜色转换二',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 50 50 20],...
    'callback',[...
        'cla,',...
        'I=imread(''flowers.tif'');',...
        'J=rgb2hsv(I);',...
        'imshow(J)'];

```

### 实例76：交换显示图像

```

h0=figure('toolbar','none',...
    'position',[198 56 500 500],...
    'name','实例76');
h1=axes('parent',h0,...
    'position',[0.15 0.5 0.7 0.5],...
    'visible','off');
u1=uimenu('parent',h0,...
    'label','加载图像',...

```

```

'backgroundcolor',[0.753 0.753 0.753],...
'tag','u1',...
'callback',[...
    '[X,map]=imread(''800.jpg'',''jpg'');',...
    'Y=imresize(X,2);',...
    'image(Y),',...
    'colormap(map),',...
    'axis image,',...
    'camva(camva/2.5),',...
    'disp(''单击鼠标左键点取需要的点''),' ,...
    'disp(''单击鼠标右键确定最后一个点''),' ,...
    'while 1,',...
    '[x,y]=ginput(1);',...
    'if ~strcmp(get(gcf,''selectiontype''),'normal'),' ,...
    'break,',...
    'end,',...
    'ct=camtaret;',...
    'dx=x-ct(1);',...
    'dy=y-ct(2);',...
    'camdolly(dx,dy,ct(3),''movetarget'',''data''),' ,...
    'drawnow,',...
    'end'];
u2=uimenu('parent',h0,...
    'label','关闭',...
    'backgroundcolor',[0.753 0.753 0.753],...
    'tag','u2',...
    'callback','close');

```

### 实例77：矢量数据的显示

```

h0=figure('toolbar','none',...
    'position',[198 56 450 468],...
    'name','实例77');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
load wind
b1huidiao=[...
    'cla','...',
    'xmin = min(x(:));','...',
    'xmax = max(x(:));','...',
    'ymax = max(y(:));','...',
    'zmin = min(z(:));','...',
    'wind_speed = sqrt(u.^2 + v.^2 + w.^2);','...',
    'hsurfaces =
slice(x,y,z,wind_speed,[xmin,100,xmax],ymax,zmin);','...',
    'set(hsurfaces,''FaceColor'',''interp'',''EdgeColor'',''none''),'','...',
    'hcont =
contourslice(x,y,z,wind_speed,[xmin,100,xmax],ymax,zmin);','...',
    'set(hcont,''EdgeColor',[.7,.7,.7],'LineWidth',.5),'','...',
    '[sx,sy,sz] = meshgrid(80,20:10:50,0:5:15);','...',
    'hlines = streamline(x,y,z,y,v,w,sx,sy,sz);','...',
    'set(hlines,''LineWidth',2,''Color'',''r''),'','...',
    'view(3),'','...',
    'daspect([2,2,1]),','...',
    'axis tight'];
b2huidiao=[...

```

```

'cla, ', ...
'wind_speed = sqrt(u.^2 + v.^2 + w.^2); ', ...
'hiso = patch(isosurface(x,y,z,wind_speed,40)); ', ...
'isonormals(x,y,z,wind_speed,hiso), ', ...

'set(hiso, 'FaceColor', 'red', 'EdgeColor', 'none'); ', ...
'hcap =
patch(isocaps(x,y,z,wind_speed,40), 'FaceColor', 'interp', 'EdgeColor', 'none'); ', ...
'colormap hsv, ', ...
'daspect([1,1,1]); ', ...
'[f_verts] =
reducepatch(isosurface(x,y,z,wind_speed,30),0.07); ', ...
'h1 =
coneplot(x,y,z,u,v,w,verts(:,1),verts(:,2),verts(:,3),3); ', ...

'set(h1, 'FaceColor', 'blue', 'EdgeColor', 'none'); ', ...
'xrange = linspace(min(x(:)),max(x(:)),10); ', ...
'yrange = linspace(min(y(:)),max(y(:)),10); ', ...
'zrange = 3:4:15; ', ...
'[cx,cy,cz] = meshgrid(xrange,yrange,zrange); ', ...
'h2 = coneplot(x,y,z,u,v,w,cx,cy,cz,2); ', ...

'set(h2, 'FaceColor', 'green', 'EdgeColor', 'none'); ', ...
'axis tight, ', ...
'box on, ', ...
'camproj perspective, ', ...
'camzoom(1.25), ', ...
'view(65,45), ', ...

```

```

        'camlight(-45,45),',...
        'lighting phong,',...
        'set(hcap, ''AmbientStrength'', .6)'];
b1=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b1',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','可视化',...
    'position',[50 100 60 20],...
    'callback',blhuidiao);
b2=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b2',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','锥形图',...
    'position',[200 100 60 20],...
    'callback',b2huidiao);
b3=uicontrol('parent',h0,...
    'style','pushbutton',...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'string','关闭',...
    'position',[125 60 60 20],...
    'callback','close');

```

## 实例78：图像分析（2）

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例78');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
load imdemos flower
imshow(flower)
colormap(copper)
n=size(X,1);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','轮廓图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[30 100 50 20],...
    'callback',[...
        'cla,',...
        '[X,map]=imread(''flowers.tif'');',...
        'X=double(flower);',...
        'X=(0.25/256)*X;',...
        'C=copper(35);',...
        'set(gca,''colororder'',C(21:35,:),''box'',''on'');',...
        'imcontour(X,3);',...
        'axis([1 n 1 n]),',...
        'axis(''ij''),'',...
        'axis(''square'')'];
b2=uicontrol('parent',h0,...

```

```

    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','伪彩图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 100 50 20],...
    'callback',[...
        'cla,',...
        'D=-del2(X);',...
        'pcolor(D),',...
        'axis([1 n 1 n]),',...
        'axis(''ij''),'',...
        'shading(''flat'')'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','3D表面图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 100 50 20],...
    'callback',[...
        'cla,',...
        'D=-del2(X);',...
        'surf(X,D),',...
        'colormap(copper),',...
        'axis([1 n 1 n 0 1]),',...
        'axis(''ij''),'',...
        'shading(''flat''),'');
    'view(-20,75);'];

```

```

b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[80 50 80 30],...
    'callback','close');

```

### 实例79：图像逻辑操作

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例79');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
load imdemos bacteria
imshow(bacteria)
k1=~(bacteria>100);
k2=filter2(fspecial('laplacian'),bacteria);
k3=(k2>=-4)&k1;
k4=erode(k1)&(k3==0);
[r,c]=find(k4);
k5=bwselect(k1,c,r);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','二值分割图',...

```

```

        'backgroundcolor',[0.75 0.75 0.75],...
        'position',[30 110 50 20],...
        'callback',[...
            'cla,',...
            'imshow(k1)'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','滤波结果图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 110 50 20],...
    'callback',[...
        'cla,',...
        'imshow(k2)']);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','阈值化图',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 110 50 20],...
    'callback',[...
        'cla,',...
        'imshow(k3)']);
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...

```

```

    'string', '目标的核', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [30 60 50 20], ...
    'callback', [...
        'cla,', ...
        'imshow(k4)'];
b5=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b5', ...
    'style', 'pushbutton', ...
    'string', '目标分割图', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [100 60 50 20], ...
    'callback', [...
        'cla,', ...
        'imshow(k5)'];
b6=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b6', ...
    'style', 'pushbutton', ...
    'string', '关闭', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [170 60 50 20], ...
    'callback', 'close');

```

### 实例80: 进度条的使用

```

h0=figure('toolbar', 'none', ...
    'position', [198 56 350 450], ...
    'name', '实例80');

```

```

h1=axes('parent',h0,...
        'position',[0.25 0.45 0.6 0.5],...
        'visible','off');
I=imread('flowers.tif');
imshow(I)
b1=uicontrol('parent',h0,...
            'units','points',...
            'tag','b1',...
            'style','pushbutton',...
            'string','转换',...
            'backgroundcolor',[0.75 0.75 0.75],...
            'position',[50 80 60 25],...
            'callback',[...
                'handlek=waitbar(0, ''initializing.....'');',...
                'pause(0.5)',',...
                'i=1;',',...
                'while i<=100,',',...

            'waitbar(i/100,handlek,[num2str(i),''%finished''],handlek)',',...
                'i=i+1;',',...
                'pause(0.05)',',...
                'end,',',...
                'pause(1.5)',',...
                'cla,',',...
                'delete(handlek)',',...
                'Y=rgb2ntsc(I);',',...
                'J=Y(:, :, 1);',',...
                'imshow(J)'];
b2=uicontrol('parent',h0,...

```

```
'units','points',...
'tag','b2',...
'style','pushbutton',...
'string','关闭',...
'backgroundcolor',[0.75 0.75 0.75],...
'position',[150 80 60 25],...
'callback','close');
```

### 实例81: MRI数据的显示

```
load mri
D = squeeze(D);
h0=figure('toolbar','none',...
    'position',[198 56 450 468],...
    'name','实例81');
h1=axes('parent',h0,...
    'position',[0.3 0.45 0.5 0.5],...
    'visible','off');
image_num = 8;
image(D(:,:, image_num))
axis image
colormap(map)
x = xlim;
y = ylim;
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[50 100 60 20],...
```

```

    'string', '二维图', ...
    'callback', [...
        'cla', ', ...
        'contourslice(D, [], [], image_num), ', ...
        'axis ij', ', ...
        'xlim(x), ', ...
        'ylim(y), ', ...
        'daspect([1, 1, 1]), ', ...
        'colormap(''default'')']);
b2=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b2', ...
    'style', 'pushbutton', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [250 100 60 20], ...
    'string', '三维图', ...
    'callback', [...
        'cla', ', ...
        'phandles = contourslice(D, [], [], [1, 12, 19, 27], 8); ', ...
        'view(3); ', ...
        'axis tight', ', ...
        'set(phandles, ''LineWidth'', 2)']);
b3=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b3', ...
    'style', 'pushbutton', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [50 50 60 20], ...
    'string', '立体图', ...

```

```

    'callback',[...
        'cla','...
        'Ds = smooth3(D);','...
        'hiso =
patch(isosurface(Ds,5),'FaceColor',[1,.75,.65],'EdgeColor','none');','...
        'hcap =
patch(isocaps(D,5),'FaceColor','interp','EdgeColor','none');','...
        'colormap(map),'...
        'view(45,30),'...
        'axis tight','...
        'daspect([1,1,.4]),','...
        'lightangle(45,30),'...
        'lighting phong','...
        'isonormals(Ds,hiso),'...
        'set(hcap,'AmbientStrength',.6),'...

'set(hiso,'SpecularColorReflectance',0,'SpecularExponent',50)'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 50 60 20],...
    'string','关闭',...
    'callback','close');

```

## 实例82：图像类型转换

```
h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例82');
h1=axes('parent',h0,...
    'position',[0.2 0.45 0.5 0.5],...
    'visible','off');
load earth
clims = [10 60];
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','强度图像',...
    'position',[30 120 50 20],...
    'callback',[...
        'cla,',...
        'imagesc(X,clims),',...
        'colormap(gray)'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','索引图像',...
    'position',[100 120 50 20],...
    'callback',[...
        'cla,',...
        'image(X),',...
        'colormap(map),',...

```

```

        'axis image']);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','真彩图像',...
    'position',[170 120 50 20],...
    'callback',[...
        'cla,',...
        'image(X),',...
        'axis image']);
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'style','pushbutton',...
    'string','关闭',...
    'position',[100 50 50 20],...
    'callback','close');

```

### 实例83：特殊的图像显示技术

```

h0=figure('toolbar','none',...
    'position',[198 56 350 468],...
    'name','实例83');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...

```

```

'backgroundcolor',[0.75 0.75 0.75],...
'style','pushbutton',...
'string','颜色条',...
'position',[30 120 50 20],...
'callback',[...
    'cla,',...
    'I = imread(''plane.jpg'');',...
    'imshow(I)',...
    'colorbar'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'position',[100 120 50 20],...
    'string','单帧显示',...
    'callback',[...
        'cla,',...
        'load mri;',...
        'imshow(D(:,:, :,7))'];
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','动画显示',...
    'position',[30 60 50 20],...
    'callback',[...
        'cla,',...

```

```

        'load mri',',...
        'montage(D,map)',',...
        'mov=immovie(D,map);',',...
        'colormap(map)',',...
        'movie(mov)'];
b4=uicontrol('parent',h0,...
    'units','points',...
    'tag','b4',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','纹理映射',...
    'position',[170 60 50 20],...
    'callback',[...
        'cla',',...
        '[x,y,z] = cylinder;',...
        'I = imread(''girls.jpg'');',',...
        'warp(x,z,y,I)'];
b5=uicontrol('parent',h0,...
    'units','points',...
    'tag','b5',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','关闭',...
    'position',[100 60 50 20],...
    'callback','close');
b6=uicontrol('parent',h0,...
    'units','points',...
    'tag','b6',...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```

'style','pushbutton',...
'string','多帧显示',...
'position',[170 120 50 20],...
'callback',[...
    'cla,',...
    'load mri,',...
    'montage(D,map)'];

```

#### 实例84：图像的几何操作

```

h0=figure('toolbar','none',...
    'position',[198 56 400 468],...
    'name','实例84');
h1=axes('parent',h0,...
    'position',[0.25 0.45 0.5 0.5],...
    'visible','off');
I=imread('plane.jpg','jpg');
imshow(I)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','图像旋转',...
    'position',[200 120 50 20],...
    'callback',[...
        'cla,',...
        'k=str2num(get(e1,''string''));',...
        'I=imread(''plane.jpg'',''jpg'');',...
        'J=imrotate(I,k,''bilinear'');',...

```

```

        'imshow(J)');
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','图像剪切',...
    'position',[200 80 50 20],...
    'callback',[...
        'cla,',...
        'imshow plane.jpg,',...
        'I=imcrop;',...
        'imshow(I)']);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','pushbutton',...
    'string','关闭',...
    'position',[120 30 50 20],...
    'callback','close');
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'style','edit',...
    'horizontalalignment','right',...
    'position',[50 80 100 20]);
t1=uicontrol('parent',h0,...

```

```

'units','points',...
'tag','t1',...
'backgroundcolor',[0.75 0.75 0.75],...
'style','text',...
'string','请输入旋转角度 (0~90) 度',...
'fontsize',12,...
'position',[40 100 130 20]);

```

### 实例85: 拉个朗日插值

```

h0=figure('toolbar','none',...
    'position',[200 50 350 450],...
    'name','实例85');
h1=axes('parent',h0,...
    'position',[0.10 0.45 0.8 0.5],...
    'visible','off');
x=0:0.2:2*pi;
y=sin(x);
plot(x,y)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','拉格朗日插值',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 60 70 20],...
    'callback',[...
        'cla,',...
        'strn=get(e1,''string'');',...
        'n=str2num(strn);',...

```

```

    'i=1;',',...
    'x=0:0.2:2*pi;',',...
    'for t=0:0.2:2*pi;',',...
    'y(i)=sin(t);;',',...
    'L(i)=lag(t,n);;',',...
    'i=i+1;',',...
    'end;',',...
    'plot(x,y,'b*',x,L,'r-'),',',...
    'legend('sin(x)', '插值函数');',',...
    'axis([0 7 -1.5 1.5])');

b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','误差比较',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 60 70 20],...
    'callback',[...
        'strn=get(e1, 'string');',',...
        'n=str2num(strn);',',...
        'strm=get(e2, 'string');',',...
        'm=str2num(strm);',',...
        'dd=abs(sin(m)-lag(m,n));',',...
        'msgbox([''误差为: ', num2str(dd)], '计算结果')');

e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'fontsize',12,...

```

```

    'string','5',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[50 100 40 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'fontsize',12,...
    'string','1.20',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[200 100 40 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','阶数:',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 100 30 20]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','误差点:',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[160 100 40 20]);

```

```

b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 20 60 20],...
    'callback','close');

```

### 实例86：三次样条插值法

```

h0=figure('toolbar','none',...
    'position',[200 50 350 450],...
    'name','实例86');
h1=axes('parent',h0,...
    'position',[0.10 0.45 0.8 0.5],...
    'visible','off');
x=0:0.2:2*pi;
y=sin(x);
plot(x,y)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','三次样条插值',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 60 70 20],...
    'callback',[...
        'y=0,',...
        'sy=0,',...

```

```

    'strn1=get(e2, ''string'');, ', ...
    'n1=str2num(strn1);, ', ...
    'strn2=get(e3, ''string'');, ', ...
    'n2=str2num(strn2);, ', ...
    'x=n1:0.2:n2;, ', ...
    'i=1;, ', ...
    'for t=n1:0.2:n2, ', ...
    'y(i)=sin(t);, ', ...
    'sy(i)=san(t, n1, n2);, ', ...
    'i=i+1;, ', ...
    'end, ', ...
    'plot(x, y, ''b*', x, sy, ''r-''), ', ...
    'axis([0 7 -1.5 1.5]), ', ...
    'legend(''sin(x)'', ''N-Hermite插值'')'];
b2=uicontrol('parent', h0, ...
    'units', 'points', ...
    'tag', 'b2', ...
    'style', 'pushbutton', ...
    'string', '误差比较', ...
    'backgroundcolor', [0.75 0.75 0.75], ...
    'position', [170 60 70 20], ...
    'callback', [...
        'strdn1=get(e2, ''string'');, ', ...
        'n1=str2num(strdn1);, ', ...
        'strdn2=get(e3, ''string'');, ', ...
        'n2=str2num(strdn2);, ', ...
        'strdn=get(e1, ''string'');, ', ...
        'dn=str2num(strdn);, ', ...
        'dd=abs(sin(dn)-san(dn, n1, n2));, ', ...

```

```

        'msgbox([''误差为: '' , num2str(dd)], ''计算结果'')');
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'fontsize',12,...
    'string','1.20',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[200 100 40 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','误差点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[160 100 40 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'fontsize',12,...
    'string','1.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 85 40 20]);
t2=uicontrol('parent',h0,...
    'units','points',...

```

```

    'tag','t2',...
    'style','text',...
    'string','第一节点:',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[15 105 50 20]);
e3=uicontrol('parent',h0,...
    'units','points',...
    'tag','e3',...
    'style','edit',...
    'fontsize',12,...
    'string','3.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[100 85 40 20]);
t3=uicontrol('parent',h0,...
    'units','points',...
    'tag','t3',...
    'style','text',...
    'string','第二节点:',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[95 105 50 20]);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```
'position',[100 20 60 20],...  
'callback','close');
```

### 实例87: NEWTON插值

```
h0=figure('toolbar','none',...  
    'position',[200 50 350 450],...  
    'name','实例87');  
h1=axes('parent',h0,...  
    'position',[0.10 0.45 0.8 0.5],...  
    'visible','off');  
x=0:0.2:2*pi;  
y=sin(x);  
plot(x,y)  
b1=uicontrol('parent',h0,...  
    'units','points',...  
    'tag','b1',...  
    'style','pushbutton',...  
    'string','牛顿插值',...  
    'backgroundcolor',[0.75 0.75 0.75],...  
    'position',[20 60 70 20],...  
    'callback',[...  
        'strn=get(e1,''string'');','...  
        'n=str2num(strn);','...  
        'x=0:0.2:2*pi;','...  
        'i=1;','...  
        'for t=0:0.2:2*pi,','...  
        'y(i)=sin(t);','...  
        'ynt(i)=newton(t,n);','...  
        'i=i+1;','...  
    ]
```

```

        'end',',',...
        'plot(x,y,'b*',x,ynt,'r-'),',',...
        'axis([0 7 -1.5 1.5]),',',...
        'legend('sin(x)','牛顿插值')'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','误差比较',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 60 70 20],...
    'callback',[...
        'strn=get(e1,'string');',...
        'n=str2num(strn);',...
        'strdn=get(e2,'string');',...
        'dn=str2num(strdn);',...
        'dd=abs(sin(dn)-newton(dn,n));',...
        'msgbox([''误差为:'' ,num2str(dd)],''计算结果'')'];
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'fontsize',12,...
    'string','5',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[50 100 40 20]);
e2=uicontrol('parent',h0,...
    'units','points',...

```

```

    'tag','e2',...
    'style','edit',...
    'fontsize',12,...
    'string','1.20',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[200 100 40 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','节点数: (<6) ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[10 100 40 30]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','误差点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[160 100 40 20]);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```
'position',[100 20 60 20],...  
'callback','close');
```

### 实例88: hermite插值

```
h0=figure('toolbar','none',...  
    'position',[200 50 350 450],...  
    'name','实例88');  
h1=axes('parent',h0,...  
    'position',[0.10 0.45 0.8 0.5],...  
    'visible','off');  
x=0:0.2:2*pi;  
y=sin(x);  
plot(x,y)  
b1=uicontrol('parent',h0,...  
    'units','points',...  
    'tag','b1',...  
    'style','pushbutton',...  
    'string','Hermite插值',...  
    'backgroundcolor',[0.75 0.75 0.75],...  
    'position',[20 60 70 20],...  
    'callback',[...  
        'strn1=get(e2,''string'');','...  
        'n1=str2num(strn1);','...  
        'strn2=get(e3,''string'');','...  
        'n2=str2num(strn2);','...  
        'x=0:0.2:2*pi;','...  
        'i=1;','...  
        'for t=0:0.2:2*pi,','...  
        'y(i)=sin(t);','...  
    ]
```

```

        'ynt(i)=hermite(t,n1,n2);',...
        'i=i+1;',...
        'end;',...
        'plot(x,y,'b*',x,ynt,'r-'),',...
        'axis([0 7 -1.5 1.5]),',...
        'legend(''sin(x)'',''Hermite插值'')'];
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'style','pushbutton',...
    'string','误差比较',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[170 60 70 20],...
    'callback',[...
        'strn1=get(e2,''string'');',...
        'n1=str2num(strn1);',...
        'strn2=get(e3,''string'');',...
        'n2=str2num(strn2);',...
        'dn=str2num(strdn);',...
        'dd=abs(sin(dn)-hermite(dn,n1,n2));',...
        'msgbox([''误差为:',num2str(dd)],''计算结果'')'];
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'fontsize',12,...
    'string','1.20',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...

```

```

        'position',[200 100 40 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','误差点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[160 100 40 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'fontsize',12,...
    'string','1.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 85 40 20]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','第一节点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[15 105 50 20]);
e3=uicontrol('parent',h0,...
    'units','points',...
    'tag','e3',...

```

```

    'style','edit',...
    'fontsize',12,...
    'string','3.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[100 85 40 20]);
t3=uicontrol('parent',h0,...
    'units','points',...
    'tag','t3',...
    'style','text',...
    'string','第二节点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[95 105 50 20]);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 20 60 20],...
    'callback','close');

```

实例89: newton形式的hermite插值

```

h0=figure('toolbar','none',...
    'position',[200 50 350 450],...
    'name','实例89');
h1=axes('parent',h0,...
    'position',[0.10 0.45 0.8 0.5],...

```

```

    'visible','off');
x=0:0.2:2*pi;
y=sin(x);
plot(x,y)
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','N-Hermite插值',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 60 70 20],...
    'callback',[...
        'strn1=get(e2,''string'');','...
        'n1=str2num(strn1);','...
        'strn2=get(e3,''string'');','...
        'n2=str2num(strn2);','...
        'x=0:0.2:2*pi;','...
        'i=1;','...
        'for t=0:0.2:2*pi','...
        'y(i)=sin(t);','...
        'ynh(i)=nhermite(t,n1,n2);','...
        'i=i+1;','...
        'end','...
        'plot(x,y,''b*'',x,ynh,''r-''),','...
        'axis([0 7 -1.5 1.5]),','...
        'legend(''sin(x)'',''N-Hermite插值'')']);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...

```

```

'style','pushbutton',...
'string','误差比较',...
'backgroundcolor',[0.75 0.75 0.75],...
'position',[170 60 70 20],...
'callback',[...
    'strdn1=get(e2,''string'');','...
    'n1=str2num(strdn1);','...
    'strdn2=get(e3,''string'');','...
    'n2=str2num(strdn2);','...
    'strdn=get(e1,''string'');','...
    'dn=str2num(strdn);','...
    'dd=abs(sin(dn)-nhermite(dn,n1,n2));','...
    'msgbox([''误差为:'' ,num2str(dd)],''计算结果'')'];
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'fontsize',12,...
    'string','1.20',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[200 100 40 20]);
t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','误差点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...

```

```

        'position',[160 100 40 20]);
e2=uicontrol('parent',h0,...
    'units','points',...
    'tag','e2',...
    'style','edit',...
    'fontsize',12,...
    'string','1.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[20 85 40 20]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','第一节点: ',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[15 105 50 20]);
e3=uicontrol('parent',h0,...
    'units','points',...
    'tag','e3',...
    'style','edit',...
    'fontsize',12,...
    'string','3.00',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...
    'position',[100 85 40 20]);
t3=uicontrol('parent',h0,...
    'units','points',...

```

```

    'tag','t3',...
    'style','text',...
    'string','第二节点:',...
    'fontsize',12,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[95 105 50 20]);
b3=uicontrol('parent',h0,...
    'units','points',...
    'tag','b3',...
    'style','pushbutton',...
    'string','关闭',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[100 20 60 20],...
    'callback','close');

```

### 实例90: 平方根法

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250]);
h1=axes('parent',h0,...
    'position',[0.05 0.15 0.65 0.6],...
    'visible','off');
I=imread('abmatrix.bmp','bmp');
image(I)
axis off
huidiao=[...
    'a=[1 0 3 0;0 2 1 2;3 1 15 0;0 2 0 4];;',...
    'b=[1 6 5 8]'';',...
    'r=[a, b];;',...
    'n=4;;',...

```

```

'tic;',...
'x=ch(a,b,n);',...
'time1=toc;',...
'T=num2str(time1);',...
'set(e1,'string',[T,'秒']);',...

```

```

'msgbox(['X=
[', num2str(x(1)), num2str(x(2)), num2str(x(3)), num2str(x(4)), ']', '方程组的解']);

```

```

t1=uicontrol('parent',h0,...
'units','points',...
'tag','t1',...
'style','text',...
'string','方程组如下:',...
'fontsize',15,...
'backgroundcolor',[0.75 0.75 0.75],...
'position',[20 150 100 20]);

```

```

e1=uicontrol('parent',h0,...
'units','points',...
'tag','e1',...
'style','edit',...
'horizontalalignment','right',...
'backgroundcolor',[1 1 1],...
'position',[290 100 30 20]);

```

```

t2=uicontrol('parent',h0,...
'units','points',...
'tag','t2',...
'style','text',...
'string','计算时间:',...
'fontsize',15,...

```

```

        'backgroundcolor',[0.75 0.75 0.75],...
        'position',[250 125 80 20]);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','平方根法',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 60 60 20],...
    'callback',huidiao);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'string','关闭',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 30 60 20],...
    'callback','close');

```

### 实例91: gauss消去法

```

h0=figure('toolbar','none',...
    'position',[200 150 450 250],...
    'name','实例91');
h1=axes('parent',h0,...
    'position',[0.05 0.15 0.65 0.6],...
    'visible','off');
I=imread('abmatrix.bmp','bmp');
image(I)
axis off

```

```

huidiao=[...
    'a=[1 2 4 1 7;2 3 0 1 8;4 1 7 6 1;1 1 0 2 1;1 3 0 1
1;];','...
    'b=[15 14 19 5 6]'';','...
    'r=[a,b];','...
    'n=5;','...
    'tic','...
    'x=gauss(r,n);','...
    'time1=toc;','...
    'T=num2str(time1);','...
    'set(e1,''string'',[T,''秒'']);','...

'msgbox(['X=
['',num2str(x(1)),num2str(x(2)),num2str(x(3)),num2str(x(4)),num2str(x(5)),'']',''],''方程组的
解'');'];

t1=uicontrol('parent',h0,...
    'units','points',...
    'tag','t1',...
    'style','text',...
    'string','方程组如下:',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[20 150 100 20]);
e1=uicontrol('parent',h0,...
    'units','points',...
    'tag','e1',...
    'style','edit',...
    'horizontalalignment','right',...
    'backgroundcolor',[1 1 1],...

```

```

        'position',[290 100 30 20]);
t2=uicontrol('parent',h0,...
    'units','points',...
    'tag','t2',...
    'style','text',...
    'string','计算时间:',...
    'fontsize',15,...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 125 80 20]);
b1=uicontrol('parent',h0,...
    'units','points',...
    'tag','b1',...
    'style','pushbutton',...
    'string','GS消去法',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 60 60 20],...
    'callback',huidiao);
b2=uicontrol('parent',h0,...
    'units','points',...
    'tag','b2',...
    'string','关闭',...
    'style','pushbutton',...
    'backgroundcolor',[0.75 0.75 0.75],...
    'position',[250 30 60 20],...
    'callback','close');

```